

Standard Companion Guide

Refers to the Implementation Guide Based on X12 Version 005010X222A1 Health Care Claim: Professional

(837) Companion Guide Version

Number: 1.2

September 17 2020

Change Log

| Version | Date | Changes |
|---------|-----------|--|
| 1.0 | 11/9/2015 | Initial Draft |
| | | Timely Filing - Loop 2300 Segment NTE (Claim Note) |
| 1.1 | 9/17/2019 | EBP Codes - 2400 Loop Segment NTE (Line Note) |
| | | TPL/COB - Loops 2320, 2330A, 2330B, & 2430 |
| 1.2 | 9/17/2020 | Unique Patient Control Number Required - Loop 2300 Segment CLM01 |

Preface

This companion guide (CG) to the Technical Report Type 3 (TR3) adopted under HIPAA clarifies and specifies the data content when exchanging transactions electronically with Optum. Transactions based on this companion guide, used in tandem with the TR3, also called Health Care Claim: Professional (837) ASC X12N/005010X222A1, are compliant with both X12 syntax and those guides. This companion guide is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. The companion guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

Table of Contents

| 1. | INT | RODUCTION | |
|----|-------|--|-----|
| | 1.1. | SCOPE | |
| | 1.2. | OVERVIEW | 7 |
| | 1.3. | REFERENCE | 7 |
| | 1.4. | ADDITIONAL INFORMATION | 7 |
| 2. | GET | TING STARTED | 8 |
| | 2.1. | WORKING WITH Optum | |
| | 2.2. | TRADING PARTNER REGISTRATION | |
| | 2.3. | CERTIFICATION AND TESTING OVERVIEW | 9 |
| | 2.4. | TESTING WITH THE Optum10 | |
| 3. | | NECTIVITY WITH THE PAYER / COMMUNICATIONS | |
| | 3.1. | PROCESS FLOWS | .11 |
| | 3.2. | TRANSMISSION ADMINISTRATIVE PROCEDURES | |
| | 3.3. | RE-TRANSMISSION PROCEDURE | 11 |
| | 3.4. | COMMUNICATION PROTOCOL SPECIFICATIONS | |
| | 3.5. | PASSWORDS | |
| | 3.6. | SYSTEM AVAILABILITY | |
| | 3.7. | COSTS TO CONNECT | |
| 4. | | ITACT INFORMATION | |
| | 4.1. | EDI CUSTOMER SERVICE | |
| | 4.2. | EDI TECHNICAL ASSISTANCE | |
| | 4.3. | PROVIDER SERVICE NUMBER | |
| | 4.4. | APPLICABLE WEBSITES / E-MAIL | .13 |
| 5. | CON | TROL SEGMENTS / ENVELOPES | |
| | 5.1. | ISA-IEA | |
| | 5.2. | GS-GE | |
| | 5.3. | ST-SE | |
| | 5.4. | CONTROL SEGMENT HIERARCHY | |
| | 5.5. | CONTROL SEGMENT NOTES | _ |
| | 5.6. | FILE DELIMITERS | |
| 6. | PAYE | ER SPECIFIC BUSINESS RULES AND LIMITATIONS | 17 |
| 7. | | NOWLEDGEMENTS AND OR REPORTS | |
| | 7.1. | REPORT INVENTORY | .18 |
| 8. | | DING PARTNER AGREEMENTS | |
| | 8.1. | TRADING PARTNERS | .19 |
| 9. | TRA | NSACTION SPECIFIC INFORMATION | 20 |
| 10 | | PENDECIES | |
| | 10.1. | IMPLEMENTATION CHECKLIST | |
| | 10.2. | BUSINESS SCENARIOS | |
| | 10.3. | TRANSMISSION EXAMPLES | |
| | 10.4. | FREQUENTLY ASKED QUESTIONS | |
| | 10.5. | FILE NAMING CONVENTIONS | 25 |

1. INTRODUCTION

This Companion Guide is intended to be used in conjunction with the "837 Professional Claim Companion Guide Specifications for Public Sector Behavioral Health" for the version "Consolidated Documents: May 2006 005010x223 and June 2010 005010X222A1."

The information contained in this Companion Guide are specific toUtah Medicaid and other locally funded Behavioral Health encounters and claims being filed to OptumHealth. Utah Health Information Network (UHIN) will act as the clearinghouse for all transactions between facilities and providers to OptumHealth. Please contact UHIN at www.uhin.org or call 801-466-7705 x200. UHIN will assign a Trading Partner Number (TPN) for EDI.

The purpose of this guide is to support the successful submission of all HIPAA compliant 837 Professional Claims transactions to OptumHealth.

PLEASE NOTE: The submission of all values required within this companion guide does not guarantee payment. All claims are subject to claim/encounter edits and audit processing.

1.1. SCOPE

This document is to be used for the implementation of the Technical Report Type 3 (TR3) HIPAA 5010 Health Care Claim: Professional (837) (referred to Professional Claim in the rest of this document) for the purpose of submitting Professional Claim(s) electronically. This companion guide (CG) is not intended to replace the TR3.

1.2. OVERVIEW

This CG will replace, in total, the previous Optum CG versions for Health Care Professional Claim and must be used in conjunction with the TR3 instructions. The CG is intended to assist you in implementing electronic Professional Claim that meet Optum processing standards, by identifying pertinent structural and data related requirements and recommendations.

1.3. REFERENCE

For more information regarding the ASC X12 Standards for Electronic Data Interchange Health Care Claim: Professional (837) ASC X12N/005010X222A1 and to purchase copies of the TR3 documents, consult the Washington Publishing Companyweb site at http://www.wpc-edi.com/.

1.4. ADDITIONAL INFORMATION

The American National Standards Institute (ANSI) is the coordinator for information on national and international standards. In 1979 ANSI chartered the Accredited Standards Committee (ASC) X12 to develop uniform standards for electronic interchange of business transactions and eliminate the problem of non-standard electronic data communication. The objective of the ASC X12 committee is to develop standards to facilitate electronic interchange relating to all types of business transactions. The ANSI X12 standards is recognized by the United States as the standard for North America. Electronic Data Interchange (EDI) adoption has been proved to reduce the administrative burden on providers.

- We can accept up to 999 claims per transaction. However, there is a limit of 50 lines per claim.
- The NPI and Tax ID (or SSN) must match to a single Medicaid contract see Loops 2010A, 2310B, 2310C). If a provider affiliates their NPI to more than one Medicaid Contract, a unique Taxonomy Code or unique address must be affiliated to their Contract. Update Taxonomy contract information with Optum Health at 877-370-8953.
- All submissions must use Trading Partner Number (TPN) HT006885-001 see ISA08 and GS03). Only one claim transaction type (837P) is allowed per transmission. Multiple 837P can be filed however Optum cannot accept a transmission containing multiple transaction types.
- Claims may be submitted 24 hours a day, 7 days a week. Claims are adjudicated for acceptance into the processing system at multiple times per day Monday through Friday.
- A 999 Acknowledgment For Health Care Insurance will be available for download within 2 business day of transmission for all 837 transactions.
- All outpatient services must be registered through ProviderConnectTMin order for claims to be accepted into the Claims Processing System. Failure to register services will result in claims being rejected from processing.
- Optum Health will send a 277CA which will list any claim(s) that were rejected prior to claim system load and any claim(s) that were accepted and pending in the claim system.

2. GETTING STARTED

2.1. WORKING WITH Optum

There is one method to connect with Optum for submitting and receiving EDI transactions; clearinghouse connection.

Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss their ability to support the Professional Claim transaction, as well as associated timeframe, costs, etc.

Physicians and Healthcare Professionals also have an opportunity to submit and receive a suite of EDI transactions via UHIN. For more information, please contact your UHIN Account Manager. If you do not have an UHIN Account Manager, please contact UHIN at www.uhin.org or call 801-466-7705 for more information.

2.2. TRADING PARTNER REGISTRATION

Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss their ability to support the Professional Claim transaction.

2.3. CERTIFICATION AND TESTING OVERVIEW

Optum does not certify Providers or Clearinghouses.

2.4. TESTING WITH Optum


Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss testing.

3. CONNECTIVITY WITH THE PAYER / COMMUNICATIONS

3.1. PROCESS FLOWS

Batch Professional Claim:



3.2. TRANSMISSION ADMINISTRATIVE PROCEDURES

UHIN can be used in only batch mode.

3.3. RE-TRANSMISSION PROCEDURE

For sections 3.2 – 3.5, Physicians and Healthcare Professionals should contact their current clearinghouse vendor for information on the most current process.

3.4. COMMUNICATION PROTOCOL SPECIFICATIONS

Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss communication protocol specifications.

3.5. PASSWORDS

Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss testing.

3.6. SYSTEM AVAILABILITY

OptumHealth will accept 837 claim transaction submissions at any time, 24 hours per day/7 days a week. Claims are adjudicated for acceptance into the processing system at multiple times per day Monday through Friday. No changes to current system availability are expected. Any scheduled or unplanned outages will be communicated via email.

3.7. COSTS TO CONNECT

Clearinghouse Connection:

Physicians and Healthcare Professionals should contact their current clearinghouse vendor to discuss costs.

4. CONTACT INFORMATION

4.1. EDI CUSTOMER SERVICE

Should you have additional questions regarding the use of this Companion Guide, please contact Optum Health at 877-370-8953.

4.2. EDI TECHNICAL ASSISTANCE

Clearinghouse

Please contact UHIN at www.uhin.org or call 801-466-7705 x200.

Optum EDI Issue Reporting

• Should you have additional questions regarding the use of this Companion Guide, please contact Optum Health at 877-370-8953.

4.3. PROVIDER SERVICE NUMBER

Provider Services should be contacted at 877-370-8953 if you have questions regarding the details claim status. Provider Services is available Monday - Friday MT.

4.4. APPLICABLE WEBSITES / E-MAIL

Optum EDI help desk - 877-370-8953

Washington Publishing Company - http://www.wpc-edi.com/hipaa/

5. CONTROL SEGMENTS / ENVELOPES

5.1. **ISA-IEA**

Transactions transmitted during a session or as a batch are identified by an interchange header segment (ISA) and trailer segment (IEA) which form the envelope enclosing the transmission. Each ISA marks the beginning of the transmission (batch) and provides sender and receiver identification.

The table below represents only those fields that Optum Health requires insertion of a specific value or has additional guidance on what the value should be. The table does not represent all of the fields necessary for a successful transaction; the TR3 should be reviewed for that information.

| Segment ID | Element ID | Segment or Element Name | (R)equired (S)ituational | OH Salt Lake County Instructions |
|---------------|---------------|--|-----------------------------|--|
| ISA | | INTERCHANGE CONTROL HEADER | R | Follow Implementation Guide for this Segment and all data elements. |
| ISA | 01 | Authorization Information Qualifier | R | Valid Value: "00" – No Authorization Information Present |
| ISA | 02 | Authorization Information | R | Valid Value: Pad to 10 characters |
| ISA | 03 | Security Information Qualifier | R | Valid Value: "00" – No Security Information Present |
| ISA | 04 | Security Information | R | Valid Value: Pad to 10 characters |
| ISA | 05 | Interchange (Sender) ID | R | Valid Value: "ZZ" – Mutually Defined |
| ISA | 06 | Interchange Sender ID | R | Valid Value: UHIN Trading Partner ID (right padded to 15 characters. For example, AA000000-000) |
| ISA | 07 | Interchange (Receiver) ID | R | Valid Value: "ZZ" – Mutually Defined |
| ISA | 08 | Interchange Receiver ID | R | Valid Value: HT006885-001 (right padded to 15 characters) |
| ISA | 09 | Interchange Date | R | Valid Value: Date Interchange Sent (YYMMDD) |
| ISA | 10 | Interchange Time | R | HHMM |
| ISA | 11 | Repetition Separator | R | This field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure. This value must be different than the data element separator, component element separator, and the segment terminator. |
| ISA | 12 | Interchange Control Version Number | R | Valid Value: "00501" |
| ISA | 13 | Interchange Control Number | R | Must be 9 characters and must be the same value as that sent in the associated IEA02. |
| ISA | 14 | Acknowledgment Requested | R | Valid Value: "0" – No Interchange Acknowledgment Requested |
| ISA | 15 | Interchange Usage Indicator | R | Valid Values: "P" — Production Data "T" – Test Data |
| ISA | 16 | Component Element Separator | R | ":" – Colon is recommended |

5.2. GS-GE

EDI transactions of a similar nature and destined for one trading partner may be gathered into a functional group, identified by a functional group header segment (GS) and a functional group trailer segment (GE). Each GS segment marks the beginning of a functional group. There can be many functional groups within an interchange envelope. The number of GS/GE functional groups that exist in the transmission.

| | | groups that exist in the | • | |
|---------------|---------------|--|-----------------------------|---|
| Segment ID | Element ID | Segment or Element Name | (R)equired (S)ituational | OH Salt Lake County Instructions |
| GS | | FUNCTIONAL GROUP HEADER | R | Follow Implementation Guide for this Segment and all data elements. |
| GS | 01 | Functional Identifier Code | R | Valid Value: "HC" — Health Care Claim |
| GS | 02 | Application Sender's Code | R | Valid Value: Please send your organization's UHIN ID |
| GS | 03 | Application Receiver's | R | Valid Value: HT006885-001 |
| GS | 04 | Date (Functional Group Create Date) | R | CCYYMMDD |
| GS | 05 | Time (Functional Group Create Time) | R | ННММ |
| GS | 06 | Group Control Number | R | It is recommended that you send a sequential number or identifier that will help you to reconcile your filings. |
| GS | 07 | Responsible Agency Code | R | Valid Value: "X" – Accredited Standards Committee X12 |
| GS | 08 | Version / Release / | R | Valid Value: |
| | | Industry Identifier Code | | "005010X222A1" – Standards Approved for Publication by ASC X12 Procedures Review Board |
| GE | | FUNCTIONAL GROUP TRAILER | R | Follow Implementation Guide for this Segment and all data elements. |
| GE | 01 | Number of Transaction Sets Included | R | Total number of transaction sets included in this functional group. |
| GE | 02 | Group Control Number | R | Valid Value: Must = the value sent in the associated GS08. |

5.3. ST-SE

The beginning of each individual transaction is identified using a transaction set header segment (ST). The end of every transaction is marked by a transaction set trailer segment (SE). For real time transactions, there will always be one ST and SE combination. An 837 file can only contain 837 transactions.

The table below represents only those fields that Optum Health requires insertion of a specific value or has additional guidance on what the value should be. The table does not represent all of the fields necessary for a successful transaction; the TR3 should be reviewed for that information.

| Loop ID | Segment ID | Element ID | Segment or Element Name | (R)equired (S)ituational | OH Salt Lake County Instructions | | |
|---------|---------------|---------------|-------------------------------------|-----------------------------|--|--|--|
| | ST | | TRANSACTION SET HEADER | R | Follow Implementation Guide for this Segment and all data elements. | | |
| | ST | 01 | Transfer Set Identifier Qualifier | R | Valid Value: "837" – Health Care Claim | | |
| | ST | 02 | Transaction Set Control Number | R | A unique control number assigned by the Sender for this functional group for this transaction. | | |
| | ST | 03 | Implementation Convention Reference | R | Valid Value: "005010X222A1" | | |
| | SE | | TRANSACTION SET TRAILER | R | Follow Implementation Guide for this Segment and all data elements. | | |

This material is provided on the recipient's agreement that it will only be used for the purpose of describing OptumHealth's products and services to the recipient. Any other use, copying or distribution without the express written permission of UnitedHealth Group is prohibited.

5.4. CONTROL SEGMENT HIERARCHY

ISA - Interchange Control Header segment

GS - Functional Group Header segment

ST - Transaction Set Header segment First 837 Transaction

SE - Transaction Set Trailer segment

ST - Transaction Set Header segment Second 837 Transaction

SE - Transaction Set Trailer segment

ST - Transaction Set Header segment

Third 837 Transaction

SE - Transaction Set Trailer segment

GE - Functional Group Trailer segment

IEA - Interchange Control Trailer segment

5.5. CONTROL SEGMENT NOTES

The ISA data segment is a fixed length record and all fields must be supplied. Fields that are not populated with actual data must be filled with space.

- The first element separator (byte 4) in the ISA segment defines the element separator to be used through the entire interchange.
- The ISA segment terminator (byte 106) defines the segment terminator used throughout the entire interchange.
- ISA16 defines the component element

5.6. FILE DELIMITERS

OptumHealth requests that you use the following delimiters on your 837 file. If used as delimiters, these characters (*: \sim ^) must not be submitted within the data content of the transaction sets.

Data Segment: The recommended data segment delimiter is a tilde (~).

 $\textbf{Data Element}: \ \ \text{The recommended data element delimiter is an asterisk (*)}.$

Component-Element: ISA16 defines the component element delimiter is to be used throughout the entire transaction. The recommended component-element delimiter is a colon (:).

Repetition Separator: ISA11 defines the repetition separator to be used throughout the entire transactions. The recommended repetition separator is a carrot (^).

6. PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

6.1 Electronic Claim Submission Guidelines

Please reference the OptumHealth Administrative Guide which can be found at OptumHealthOnline.com under the Quick Links section of the main page.

6.2 Validation of Claims at OptumHealth:

United applies 2-levels of editing to inbound HIPAA 837 files and claims:

1. Level-1 HIPAA Compliance:

Full levels 1-4.
Claims passing are assigned an OptumHealth Payer Claim Control Number and our "accepted" for **front-end** processing.

2. Level-2 Front-End Validation:

- a. Member match
- b. Provider match
- Claims passing front-end validation are accepted into the Adjudication system for processing.
- 4. Professional Claim that is received before the service date (prior to 10/1/2015) with ICD-10 codes qualifiers will be rejected by OptumHealth. Note: Mandate date for accepting the ICD -10 is set as 10/1/2015.
- 5. Professional Claim with the value 'II' (Standard Unique Health Identifier) in Subscriber Name, field NM108 will be rejected by OptumHealth.

7. ACKNOWLEDGEMENTS AND OR REPORTS

7.1. REPORT INVENTORY

999 - This file informs submitter that the transaction arrived and provides information about the syntactical quality of each of the 837 claims submitted. Level 1 validation.

277CA – This file informs the submitter of the disposition of their claims through Level 2 Front End Validation, it reports both accepted and rejected claims.

8. TRADING PARTNER AGREEMENTS

8.1. TRADING PARTNERS

An EDI Trading Partner is defined as any OptumHealth customer (provider, billing service, software vendor, employer group, financial institution, etc.) that transmits to, or receives electronic data from UnitedHealth Group.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

For example, a Trading Partner Agreement may specify among other things, the roles and responsibilities of each party to the agreement in conducting standard transactions.

9. TRANSACTION SPECIFIC INFORMATION

This section describes how TR3's adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that UnitedHealth Group has something additional, over and above, the information in the TR3's. That information can:

- 1. Limit the repeat of loops, or segments
- 2. Limit the length of a simple data element
- 3. Specify a sub-set of the TR3's internal code listings
- 4. Clarify the use of loops, segments, composite and simple data elements
- 5. Any other information tied directly to a loop, segment, and composite or simple data element pertinent to trading electronically with OptumHealth

In addition to the row for each segment, one or more additional rows are used to describe OptumHealth's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

The following table specifies the columns and suggested use of the rows for the detailed description of the transaction set companion guides. The table contains a row for each segment that OptumHealth has something additional, over and above, the information in the TR3's. The following is just an example of the type of information that would be spelled out or elaborated on in: Section 9 – Transaction Specific Information.

The below table provides any Optum Health specific requirements for claim construct and data values.

| Page # | Loop ID | Segment ID | Element ID | Segment or Element Name | (R)equired (S)ituational | OH Instructions |
|-----------|------------|---------------|---------------|--|-----------------------------|--|
| 70 | | ST | | TRANSACTION SET HEADER | R | Follow Implementation Guide for this Segment and all data elements. |
| 70 | | ST | 01 | Transfer Set Identifier Qualifier | R | Valid Value: "837" – Health Care Claim |
| 70 | | ST | 02 | Transaction Set Control Number | R | A unique control number assigned by the Sender for this functional group for this transaction. |
| 70 | | ST | 03 | Implementation Convention Reference | R | Valid Value: "005010X222A1" |
| 71 | | ВНТ | | BEGINNING OF HIERARCHICAL TRANSACTION | R | Follow Implementation Guide for this Segment and all data elements. |
| 71 | | ВНТ | 01 | Hierarchical Structure Code | R | Valid Value: "0019" – Information Source, Subscriber, Dependent |
| 71 | | BHT | 02 | Transaction Set Purpose Code | R | Valid Values: "00" – Original "18" – Reissue |
| 72 | | ВНТ | 03 | Originator Application Transaction Identifier | R | This is an inventory file number of the transmission assigned by the Submitter and operates as the Submitter's batch number. Can be up to 30 characters. |
| 72 | | BHT | 04 | Transaction Set Creation Date | R | CCYYMMDD |
| 72 | | BHT | 05 | Transaction Set Creation Time | R | ННММ |
| 72 | | ВНТ | 06 | Transaction Type Code | R | Valid Values: "CH" – Chargeable (used by fee for service providers) "RP" – To be used by providers who are not fee for |
| 74 | 1000A | | | SUBMITTER NAME LOOP | R | |
| 74 | 1000A | NM1 | | SUBMITTERNAME | R | |
| 75 | 1000A | NM1 | 01 | Entity Identifier Code | R | Valid Value: "41" – Submitter |
| 75 | 1000A | NM1 | 02 | Entity Type Qualifier | R | Valid Values: "1" – Person "2" – Non-Person Entity |
| 75 | 1000A | NM1 | 03 | Submitter Last or Organization Name | R | Follow Implementation Guide for this data element. |
| 75 | 1000A | NM1 | 04 | Submitter First Name | S | Follow Implementation Guide for this data element. |
| 75 | 1000A | NM1 | 05 | Submitter Middle Name | S | Follow Implementation Guide for this data element. |
| 75 | 1000A | NM1 | 08 | Identification Code Qualifier | R | Valid Value: "46" – Trading Partner Number |
| 75 | 1000A | NM1 | 09 | SubmitterIdentifier | R | Submitter's Trading Partner Number (TPN) supplied by UHIN. |
| 76 | 1000A | PER | | SUBMITTER EDI CONTACT INFORMATION | R | Follow Implementation Guide for this Segment and all data elements. |
| 77 | 1000A | PER | 01 | Contact Function Code | R | Valid Value: "IC" – Information Contact |
| 77 | 1000A | PER | 02 | Name | S | Required when the contact name is different t than the name contained in the Submitter |

This material is provided on the recipient's agreement that it will only be used for the purpose of describing UnitedHealthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of UnitedHealth Group is prohibited.

| | i | | | 1 | 7 | No. of the last AND The last First |
|----|------------|-----|----|--|---|---|
| | | | | | | Name segment of this loop AND it is the first iteration of this Segment. |
| 77 | 1000A | PER | 03 | Communication Number Qualifier | R | Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone |
| 77 | 1000A | PER | 04 | Communication Number | R | Contact communication number/address |
| 77 | 1000A | PER | 05 | Communication Number Qualifier | S | Valid Values: "EM" - Electronic Mail "FX" - Facsimile "TE" - Telephone |
| 78 | 1000A | PER | 06 | Communication Number | S | Contact communication number/address |
| 78 | 1000A | PER | 07 | Communication Number Qualifier | S | Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone |
| 78 | 1000A | PER | 09 | Communication Number | S | Contact communication number/address |
| 79 | 1000B | NM1 | | RECEIVER NAME LOOP | R | |
| 79 | 1000B | NM1 | | RECIEVER INDIVIDUAL OR ORGANIZATIONAL NAME | R | |
| 79 | 1000B | NM1 | 01 | Entity Identification Code | R | Valid Value: "40" - Receiver |
| 79 | 1000B | NM1 | 02 | Entity Type Qualifier | R | Valid Value: "2" – Non-Person Entity |
| 80 | 1000B | NM1 | 03 | Receiver Name | R | "OptumHealth PS" |
| 80 | 1000B | NM1 | 08 | Information Receiver Identification Number Qualifier | R | Valid Value: "46" – Electronic Transmitter Identification Number |
| 80 | 1000B | NM1 | 09 | Receiver Primary Identifier | R | HT006885-001 |
| 81 | 2000A | | | BILLING/PAY-TO PROVIDER LOOP | R | |
| 81 | 2000A | HL | | BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL | R | Follow Implementation Guide for this Segment and all data elements. |
| 81 | 2000A | HL | 01 | Hierarchical ID Number | R | Follow Implementation Guide for this data element. |
| 81 | 2000A | HL | 03 | Hierarchical Level Code | R | Valid Value: "20" – Information Source |
| 82 | 2000A | HL | 04 | Hierarchical Child Code | R | Valid Value: "1" – Additional Subordinate HL Data Segments |
| 83 | 2000A | PRV | | BILLING/PAY-TO PROVIDER SPECIALTY INFORMATION | S | Required when the Rendering Provider is the same entity as the Billing and/or Pay-to Provider. This PRV is not used when the Billing or Pay-to Provider is a group and the individual Rendering Provider is in loop 2310B. The State requires that the individual provider is identified for each claim/service when it is reported to the State. |
| 83 | 2000A | PRV | 01 | Provider Code | R | Valid Value: "BI" – Billing Provider |
| 83 | 2000A | PRV | 02 | Reference Identification Qualifier | R | Valid Value: "PXC" – Taxonomy Code |
| 83 | 2000A | PRV | 03 | Provider Taxonomy Code | R | Provider Taxonomy Code |
| 84 | 2000A | CUR | | FOREIGN CURRENCY INFORMATION | S | Not used |
| 87 | 2010A A | | | BILLING PROVIDER NAME LOOP | R | |
| | | | | | | |

This material is provided on the recipient's agreement that it will only be used for the purpose of describing United Healthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of United Health Group is prohibited.

| l 88 | 2010A | NM1 | 01 | Entity Identification Code | R | Valid Value: |
|------|------------|-----|----|---|---|---|
| 00 | A A | | 01 | | ĸ | "85" – Billing Provider |
| 88 | 2010A A | NM1 | 02 | Entity Type Qualifier | R | Valid Values: "1" – Person "2" – Non-Person |
| 88 | 2010A A | NM1 | 03 | Billing Provider Last Name | R | Follow Implementation Guide for this data element. |
| 88 | 2010A A | NM1 | 04 | Billing Provider First Name | S | Required when 2010AA, NM101 = "1" Billing Provider First Name |
| 89 | 2010A A | NM1 | 06 | Billing Provider Middle Name | S | Follow Implementation Guide for this data element. |
| 89 | 2010A A | NM1 | 07 | Billing Provider Name Suffix | S | Notused |
| 89 | 2010A A | NM1 | 08 | Identification Code Qualifier | R | "XX" – NPI |
| 90 | 2010A A | NM1 | 09 | Billing Provider Identifier | R | Billing Provider NPI |
| 91 | 2010A A | N3 | | BILLING PROVIDER ADDRESS | R | |
| 91 | 2010A A | N3 | 01 | Billing Provider Address Line | R | Address that coordinates with OptumHealth contract Service Location |
| 91 | 2010A A | N3 | 02 | Billing Provider Address Line | S | Address that coordinates with OptumHealth contract Service Location |
| 92 | 2010A A | N4 | | BILLING PROVIDER CITY/STATE/ZIP CODE | R | |
| 92 | 2010A A | N4 | 01 | Billing Provider City Name | R | City that coordinates with OptumHealth contract Service Location |
| 93 | 2010A A | N4 | 02 | Billing Provider State | R | State that coordinates with OptumHealth contract Service Location |
| 93 | 2010A A | N4 | 03 | Billing Provider's Zip Code | R | Zip Code that coordinates with OptumHealth contract Service Location |
| 93 | 2010A A | N4 | 04 | Billing Provider's Country Code | S | Not Used |
| 94 | 2010A A | REF | | BILLING PROVIDER SECONDARY IDENTIFICATION | R | Each submission must contain a minimum of 1-2010AA REF segments. |
| 94 | 2010A A | REF | 01 | Reference Identification Qualifier | R | Valid Values: "EI" – Tax Identification Number "SY" – Social Security Number |
| 94 | 2010A A | REF | 02 | Billing Provider Additional Identifier | R | Tax Identification Number Or Social Security Number |
| 96 | 2010A A | REF | | BILLING PROVIDER UPIN/LICENSE INFORMATION | S | Not used |
| 98 | 2010A A | PER | | BILLING PROVIDER CONTACT INFORMATION | S | Follow Implementation Guide for this Segment and all data elements. Used only when the Billing and Submitter contact information is different. |
| 99 | 2010A A | PER | 01 | Contact Function Code | R | Valid Value: "IC" – Information Contact |
| 99 | 2010A A | PER | 02 | Name | S | Required when the contact name is different than the name contained in the Submitter and/or Billing Name segments. |
| 99 | 2010A A | PER | 03 | Communication Number Qualifier | R | Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone |
| i | 2010A | PER | 1 | i . | | |

| 99 | 2010A A | PER | 05 | Communication Number Qualifier | S | Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone |
|------|------------|-------------------|----|--|---|--|
| 100 | 2010A | PER | 06 | Communication Number | S | Contact communication number/address |
| 100 | 2010A A | PER | 07 | Communication Number Qualifier | S | Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone |
| 100 | 2010A A | PER | 09 | Communication Number | S | Contact communication number/address |
| | 2010A B | | | PAY-TO PROVIDER NAME LOOP | S | Required when the Pay-To Provider Address is different than the Billing Provider Address. |
| 101 | 2010A B | NM1 | | PAY-TO PROVIDER NAME | S | Follow Implementation Guide for this Segment and all data elements. |
| 101 | 2010A B | NM1 | 01 | Entity Identification Code | R | Valid Value: "87" – Pay-to Provider |
| 102 | 2010A B | NM1 | 02 | Entity Type Qualifier | R | Valid Values: "1" – Person "2" – Non-Person |
| 103 | 2010A B | N3 | | PAY-TO PROVIDER ADDRESS | S | Required when the Pay-To Provider Address is different than the Billing Provider Address. |
| 103 | 2010A B | N3 | 01 | Pay-To Provider Address Line | R | Line 1 of Pay-To Address |
| 103 | 2010A B | N3 | 02 | Pay-To Provider Address Line | S | Line 2 of Pay-To Address |
| 104 | 2010A B | N4 | | PAY-TO PROVIDER CITY/STATE/ZIP CODE | S | Follow Implementation Guide for this Segment and all data elements. |
| 104 | 2010A B | N4 | 01 | Pay-To Provider City Name | R | |
| 105 | 2010A B | N4 | 02 | Pay-To Provider State | R | |
| 105 | 2010A B | N4 | 03 | Pay-To Provider's Zip Code | R | |
| 105 | 2010A B | N4 | 04 | Billing Provider's Country Code | S | Not Used |
| 105 | 2010A B | N4 | 07 | Billing Provider's Country Subdivision Code | S | Not Used |
| | 2010A C | | | PAY-TO PLAN NAME LOOP | S | Not Used (NOTE: If provided will be ignored and will not affect processing) |
| 106 | 2010A C | NM1 | | PAY-TO PLAN NAME | S | Not Used |
| 108 | 2010A C | N3 | | PAY-TO PLAN ADDRESS | s | Not Used |
| 109 | 2010A C | N4 | | PAY-TO PLAN CITY,STATE,ZIP | S | Not Used |
| 111 | 2010A C | REF | | PAY-TO PLAN SECONDARY INDENTIFICATION | S | Not Used |
| 113 | 2010A C | REF | | PAY-TO PLAN TAX INDENTIFICATION NUMBER | S | Not Used |
| 114 | 2000B | | | SUBSCRIBER HIERARCHICAL LOOP | R | For Public Sector Behavioral Health, the subscriber is always the patient. Therefore, all patient data is included in this loop. |
| 114 | 2000B | HL | | SUBSCRIBER HIERARCHICAL LEVEL | R | |
| 114 | 2000B | HL | 01 | Hierarchical ID Number | R | Must be numeric and incremental from preceding HL Segments within the transaction set. |
| This | | القصم أممام أبيمت | | sagreement that it will only be use | | and the analysis of |

This material is provided on the recipient's agreement that it will only be used for the purpose of describing United Health care's products and services to the recipient. Any other use, copying or distribution without the express written permission of United Health Group is prohibited.

| 115 | 2000B | HL | 02 | Hierarchical Parent ID Number | R | Follow Implementation Guide for this data element. |
|-----|------------|-----|----|--|---|--|
| 115 | 2000B | HL | 03 | Hierarchical Child Code | R | Valid Value: "22" – Subscriber |
| 115 | 2000B | HL | 04 | Hierarchical Child Code | R | Valid Value: "0" – No Subordinate HL Segments |
| 116 | 2000B | SBR | | SUBSCRIBER INFORMATION | R | - |
| 116 | 2000B | SBR | 01 | Payer Responsibility Sequence Number Code | R | Valid Values: "P" – Primary "S" – Secondary "T" – Tertiary |
| 117 | 2000B | SBR | 02 | Patients Relationship to Insured | R | Valid Value: "18" – Self |
| 117 | 2000B | SBR | 03 | Insured Group or Policy Number | S | Not Used The PACMIS or other unique Identifier is reported at Loop 2010BA – NM109 |
| 117 | 2000B | SBR | 04 | Insured Group Name | S | Not Used |
| 117 | 2000B | SBR | 05 | Insurance Type Code | S | Follow Implementation Guide for this data element. |
| 118 | 2000B | SBR | 09 | Claim Filing Indicator Code | R | Valid Values: "11" – Other Non-Federal Programs (Non- Medicaid) "MC" – Medicaid |
| 119 | 2000B | PAT | | PATIENT INFORMATION | S | Not used |
| 121 | 2010B A | | | SUBSCRIBER NAME LOOP | R | |
| 121 | 2010B A | NM1 | | SUBSCRIBER NAME | R | |
| 121 | 2010B A | NM1 | 01 | Entity Identifier Code | R | Valid Value: "IL" – Subscriber |
| 122 | 2010B A | NM1 | 02 | Entity Type Qualifier | R | Valid Value: "1" - Person |
| 122 | 2010B A | NM1 | 03 | Subscriber Last Name | R | Patient's Last Name |
| 122 | 2010B A | NM1 | 04 | Subscriber First Name | S | Required by Optum to properly identify the Patient. Patient's First Name |
| 122 | 2010B A | NM1 | 05 | Subscriber Middle Name | S | Patient's Middle Name (if available) |
| 122 | 2010B A | NM1 | 06 | Not Used | S | Not Used |
| 122 | 2010B A | NM1 | 07 | Name Suffix | S | Not Used |
| 122 | 2010B A | NM1 | 08 | Identification Code Qualifier | R | Valid Value: "MI" – Member Identification Number |
| 123 | 2010B A | NM1 | 09 | Subscriber Primary Identifier | R | Medicaid PACMIS # when Medicaid OptumHealth assigned ID for Non-Medicaid |
| 124 | 2010B A | N3 | | SUBSCRIBER ADDRESS | S | Follow Implementation Guide for this Segment and all data elements. Please complete with available information. |
| 125 | 2010B A | N4 | | SUBSCRIBER CITY/STATE/ZIP CODE | S | Follow Implementation Guide for this Segment and all data elements. Please complete with available information. |
| 127 | 2010B A | DMG | | SUBSCRIBER DEMOGRAPHIC INFORMATION | S | This segment is required for a claim to be accepted into the OptumHealth system. |
| 127 | 2010B | DMG | 01 | Date Time Period Format | R | "D8" |
| | | | | | | |

| 1 | ΙA | | | Qualifier | I | |
|-----|----------------|---------|-----|------------------------------------|---|--|
| 407 | | 5140 | 0.0 | | | 0000/44455 |
| 127 | 2010B A | DMG | 02 | Date of Birth - Patient | R | CCYYMMDD |
| 128 | 2010B | DMG | 03 | Gender-Patient | R | Valid Values: "F" – Female |
| | Α | | | | | F - Female I "M" - Male |
| | | | | | | "U" – Unknown |
| | | | | | | |
| 129 | 2010B A | REF | | SUBSCRIBER SECONDARY | S | This segment is required for a claim to be accepted into the OptumHealth system. |
| | ^ | | | IDENTIFICATION | | accepted into the Optamineanth System. |
| 129 | 2010B | REF | 01 | Reference Identification | R | "SY" Social Security Number |
| | Α | | | Qualifier | | · |
| 129 | 2010B | REF | 02 | Subscriber Supplemental Identifier | R | Patient's Social Security Number |
| 130 | 2010B | REF | | PROPERTY AND | S | Not Used |
| | A | | | CASUALTY CLAIM | | |
| 131 | 2010B | PER | | NUMBER PROPERTY AND | S | Not Used |
| '3' | A A | I LK | | CASUALTY SUBSCRIBER | 3 | Not osed |
| | | | | CONTACT INFORMATION | | |
| 133 | 2010B | | | PAYER NAME LOOP | R | |
| 400 | B 2010B | NM1 | | DAVEDNAME | В | |
| 133 | В | INIVI I | | PAYER NAME | R | |
| 133 | 2010B | NM1 | 01 | Entity Identifier Code | R | Valid Value: |
| | В | | | | | "PR" – Payer |
| 134 | 2010B | NM1 | 02 | Entity Type Qualifier | R | Valid Value: |
| | В | | | | | "2" - Non-Person Entity |
| 134 | 2010B | NM1 | 03 | Payer Name | R | Valid Value: |
| | В | | | | | "OptumHealth" |
| 134 | 2010B | NM1 | 08 | Identification Code Qualifier | R | Valid Value: |
| | В | | | | | "PI" – Payer Identification |
| 134 | 2010B | NM1 | 09 | Payer Identification | R | HT006885-001 |
| 125 | В | | | | | |
| 135 | 2010B B | N3 | | PAYER ADDRESS | S | Accepted, but Not used |
| 136 | 2010B | N4 | | PAYER CITY, STATE, ZIP | S | Accepted, but Not used |
| 138 | 2010B | REF | | CODE PAYER SECONDARY | S | Accepted, but Not used |
| 130 | B | KEF | | IDENTIFICATION | 3 | Accepted, but Not used |
| 140 | 2010B | REF | | BILLING PROVIDER | S | Accepted, but Not used |
| | В | | | SECONDARY IDENTIFICATION | | |
| 142 | 2000C | | | PATIENT HIERARCHICAL | S | DO NOT USE THIS LOOP; The patient is |
| | | | | LOOP | | always the subscriber for Medicaid and other funded Behavioral Health |
| | | | | | | Services. |
| 142 | 2000C | HL | | PATIENT HIERARCHICAL | S | Not used |
| 144 | 2000C | PAT | | LEVEL PATIENT INFORMATION | S | Not used |
| 147 | 2010C | | | PATIENT NAME LOOP | S | DO NOT USE THIS LOOP; The patient is |
| 7. | A A | | | TARRETT WANTE LOOP | | always the subscriber for Medicaid and |
| | | | | | | other funded Behavioral Health Services. |
| 147 | 2010C | NM1 | | PATIENT NAME | S | Not used |
| | Α | | | | | |
| 149 | 2010C A | N3 | | PATIENT ADDRESS | S | Not used |
| 150 | 2010C | N4 | | PATIENT CITY, STATE, ZIP | S | Not used |
| 450 | A | DMC | | CODE | | Netword |
| 152 | 2010C A | DMG | | PATIENT DEMOGRAPHIC INFORMATION | S | Not used |
| | L | | | 1 | | |

| 154 | 2010C A | REF | | PROPERTY AND CASUALTY CLAIM NUMBER | s | Not used |
|-----|------------|-----|------|---|---|--|
| 155 | 2010C A | REF | | PROPERTY AND CASUALTY PATIENT IDENTIFIER | S | Not used |
| 157 | 2010C A | PER | | PROPERTY AND CASUALTY PATIENT CONTACT INFORMATION | S | Not used |
| 159 | 2300 | | | CLAIM INFORMATION LOOP | R | |
| 160 | 2300 | CLM | | CLAIM INFORMATION | R | |
| 160 | 2300 | CLM | 01 | Claim Submitter's Identifier | R | Patient Control Number Must Be Unique |
| 161 | 2300 | CLM | 02 | Total Claim Charge Amount | R | Follow Implementation Guide for this data element. |
| 161 | 2300 | CLM | 05 | Health Care Service Location Information (Composite Data Element) | R | |
| 161 | 2300 | CLM | 05-1 | Type of Bill (Place of Service) | R | Valid Value: "B" – Place of Service Codesfor Professional Services |
| 161 | 2300 | CLM | 05-3 | Claim Frequency Code | R | For original submissions (or re-submission of denied claims) use value: "1" — Original OptumHealth will allow for submission of electronic corrections or voids to a previously paid claim. Acceptable Values: "7" — Replacement "8" — Void The OptumHealth Claim Number assigned to the claim that is being voided ("8") or replaced ("7") must be reported in associated 2300 ORIGINAL REFERENCE NUMBER REF02. |
| 161 | 2300 | CLM | 06 | Provider Signature on File | R | Follow Implementation Guide for this data element. |
| 162 | 2300 | CLM | 07 | Medicare Assignment Code | R | Follow Implementation Guide for this data element. |
| 162 | 2300 | CLM | 08 | Assignment of Benefits Indicator | R | Follow Implementation Guide for this data element. |
| 163 | 2300 | CLM | 09 | Release of Information Code | R | Follow Implementation Guide for this data element. |
| 163 | 2300 | CLM | 10 | Patient Signature Source Code | S | Follow Implementation Guide for this data element. |
| 163 | 2300 | CLM | 11 | Related Causes Information (Composite Data Element) | R | |
| 163 | 2300 | CLM | 11-1 | Related-Causes Code | S | Follow Implementation Guide for this data element. |
| 164 | 2300 | CLM | 11-2 | Related-Causes Code | S | Follow Implementation Guide for this data element. |
| 164 | 2300 | CLM | 11-4 | Accident/Employment/Relate d Causes | S | Follow Implementation Guide for this data element. |
| 164 | 2300 | CLM | 11-5 | State or Province Code | S | Follow Implementation Guide for this data element. |

the

This material is provided on the recipient's agreement that it will only be used for the purpose of describing UnitedHealthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of UnitedHealth Group is prohibited.

| 164 | 2300 | CLM | I 12 | Special Program Code | 1 s | Follow Implementation Guide for this data |
|-----|------|-----|------|--|-----|--|
| | | | | opeoidi i regidiii eede | | element. |
| 165 | 2300 | CLM | 16 | Participation Agreement | S | Follow Implementation Guide for this data element. |
| 165 | 2300 | CLM | 20 | Delay Reason Code | S | Follow Implementation Guide for this data element. |
| 166 | 2300 | DTP | | DATE - ONSET OF CURRENT ILLNESS OR SYMPTOM | S | Not used |
| 167 | 2300 | DTP | | DATE – INITIAL TREATMENT DATE | S | Not used |
| 168 | 2300 | DTP | | DATE – DATE LAST SEEN | S | Follow Implementation Guide for this Segment and all data elements. |
| 169 | 2300 | DTP | | DATE – ACUTE MANISFESTATION | S | Not used |
| 170 | 2300 | DTP | | DATE – ACCIDENT | S | Not used |
| 171 | 2300 | DTP | | DATE – LAST MENTRUAL PERIOD | S | Not used |
| 172 | 2300 | DTP | | DATE – LAST X-RAY | S | Not used |
| 173 | 2300 | DTP | | DATE – HEARING AND VISION PRESCRIPTION DATE | S | Not used |
| 174 | 2300 | DTP | | DATE – DISABILITY DATES | S | Not used |
| 176 | 2300 | DTP | | DATE – LAST WORKED | S | Not used |
| 177 | 2300 | DTP | | DATE – AUTHORIZED RETURN TO WORK | S | Not used |
| 178 | 2300 | DTP | | DATE - ADMISSION | s | Follow Implementation Guide for this Segment and all data elements. |
| 179 | 2300 | DTP | | DATE – DISCHARGE | S | Follow Implementation Guide for this Segment and all data elements. |
| 180 | 2300 | DTP | | DATE – ASSUMED AND RELINQUISHED CARE DATES | S | Not used |
| 182 | 2300 | DTP | | DATE – PROPERTY AND CASUALTY DATE OF FIRST CONTACT | S | Not used |
| 183 | 2300 | DTP | | DATE – REPRICER RECEIVED DATE | S | Not used |
| 184 | 2300 | PWK | | CLAIM SUPPLEMENTAL INFORMATION | S | Not used |
| 188 | 2300 | CN1 | | CONTRACT INFORMATION | S | Follow Implementation Guide for this Segment and all data elements. |
| 190 | 2300 | AMT | | PATIENT AMOUNT PAID | S | This segment is Required when the patient is responsible for any copayment amount. Follow Implementation Guide for this Segment and all data elements. |
| 190 | 2300 | AMT | 01 | Amount Qualifier Code | R | Valid Value: "F5" – Patient Amount Paid |
| 190 | 2300 | AMT | 02 | Patient Amount Paid | R | Patient Amount Paid |
| 191 | 2300 | REF | | SERVICE AUTHORIZATION EXCEPTION CODE | S | Not used |
| 193 | 2300 | REF | | MANDATORY MEDICARE (SECTION 4081) CROSSOVER INDICATOR | s | Not used |
| 194 | 2300 | REF | | MAMMOGRAPHY CERTIFICATION NUMBER | s | Not used |
| 195 | 2300 | REF | | REFERRAL NUMBER | S | Not used |

| 196 | 2300 | REF | | PRIOR AUTHORIZATION NUMBER | s | Required for all claims to be accepted into the Optum's claims system. |
|-----|------|------------|----|---|---|---|
| 196 | 2300 | REF | 01 | Reference Identification | R | Accepted Value: "G1" – Prior Authorization Number |
| 197 | 2300 | REF | 02 | Authorization Number | R | The authorization number provided for this patient to the provider for the claim Date(s) of Service. This number is obtained from OptumHealth and is available through Provider Connect. For more information please connect to our web site at: http://www.optumhealthOptumHealth.com/providers.htm |
| 198 | 2300 | REF | | PAYER CLAIM CONTROL NUMBER | S | This segment is required when codes "6", "7", or "8" are submitted in Loop 2300 CLM05-3. |
| 198 | 2300 | REF | 01 | Reference Identification Qualifier | R | Must = "F8" – Original Reference Number |
| 198 | 2300 | REF | 02 | Claim Original Reference Number | R | Do not submit hyphensor spaces. Do not submit replacement/void claims until the original claim processes |
| 199 | 2300 | REF | | CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) NUMBER | S | Not used |
| 201 | 2300 | REF | | REPRICED CLAIM NUMBER | S | Not used |
| 202 | 2300 | REF | | ADJUSTED REPRICED CLAIM NUMBER | S | Not used |
| 203 | 2300 | REF | | INVESTIGATIONAL DEVICE EXEMPTION NUMBER | S | Not used |
| 204 | 2300 | REF | | CLAIM INDENTIFICATION NUMBER FOR TRANSMISSION INTERMEDIARIES | S | Not used |
| 206 | 2300 | REF | | MEDICAL RECORD NUMBER | s | Follow Implementation Guide for this Segment and all data elements. |
| 207 | 2300 | REF | | DEMONSTRATION PROJECT IDENTIFIER | s | Not used |
| 208 | 2300 | REF | | CARE PLAN OVERSIGHT | S | Not used |
| 209 | 2300 | <i>K</i> 3 | | FILE INFORMATION | S | Not used |
| 211 | 2300 | NTE | | CLAIM NOTE | S | Valid Values: NTE01 = "ADD"; NTE02 = "[TimelyFilingWaiverNumber]" |
| 213 | 2300 | CR1 | | ABULANCE TRANSPORT INFORMATION | S | Not used |
| 216 | 2300 | CR2 | | SPINAL MANIPULATION SERVICE INFORMATION | S | Not used |
| 218 | 2300 | CRC | | AMBULANCE CERTIFICATION | S | Not used |
| 221 | 2300 | CRC | | PATIENT CONDITION INFORMATION: VISION | S | Not used |
| 223 | 2300 | CRC | | HOMEBOUND INDICATOR | S | Not used |
| 225 | 2300 | CRC | | EPSDT REFERRAL | s | Follow Implementation Guide for this Segment and all data elements. |
| 228 | 2300 | HI | | HEALTH CARE DIAGNOSIS CODE | R | This segment is Required for all claims submitted for services provided to Consumers who are covered under Behavioral Health Services. Follow Implementation Guide for this Segment and all data elements. |

| 229 | 2300 | HI | 01-1 | Diagnosis Type Code | R | Valid Value: "BK" – Principal Diagnosis "ABK" – Principal Diagnosis |
|-----|------|----|------|---------------------------------|---|---|
| 229 | 2300 | HI | 01-2 | Diagnosis Code | R | DSM-5, ICD-9 or ICD-10 |
| 230 | 2300 | Н | 02-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 230 | 2300 | HI | 02-2 | DiagnosisCode | S | DSM-5, ICD-9 or ICD-10 |
| 231 | 2300 | НІ | 03-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 231 | 2300 | HI | 03-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 232 | 2300 | НІ | 04-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 232 | 2300 | HI | 04-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 233 | 2300 | HI | 05-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 233 | 2300 | HI | 05-2 | Diagnosis Code Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 234 | 2300 | HI | 06-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 234 | 2300 | HI | 06-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 235 | 2300 | HI | 07-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 235 | 2300 | HI | 07-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 236 | 2300 | HI | 08-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 236 | 2300 | HI | 08-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 237 | 2300 | HI | 09-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 237 | 2300 | HI | 09-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 238 | 2300 | HI | 10-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 238 | 2300 | HI | 10-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 239 | 2300 | HI | 11-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 239 | 2300 | HI | 11-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 240 | 2300 | HI | 12-1 | Diagnosis Type Code | S | Valid Value: "BF" – Diagnosis "ABF" – Diagnosis |
| 240 | 2300 | HI | 12-2 | Diagnosis Code | S | DSM-5, ICD-9 or ICD-10 |
| 241 | 2300 | HI | | ANESTHESIA RELATED PROCEDURE | S | Follow Implementation Guide for this Segment and all data elements. |
| 241 | 2300 | HI | 01-1 | Code List Qualifier | R | Valid Value: "BP" – Health Care Financing Administration Common Procedural Coding System Principal Procedure |

| | 1 0000 | | 1 04 0 | I. A seedle se's Deleted | 1.5 | LIODO Burnelous Ondo |
|-----|--------|-----|--------|---|-----|--|
| 242 | 2300 | HI | 01-2 | Anesthesia Related Procedure | R | HCPC Procedure Code |
| 242 | 2300 | HI | 02-1 | Code List Qualifier | R | Valid Value: "BO" – Health Care Financing Administration Common Procedural Coding System Principal Procedure |
| 242 | 2300 | HI | 02-2 | Anesthesia Related Procedure | R | HCPC Procedure Code |
| 244 | 2300 | Н | | CONDITION INFORMATION | S | Not used |
| 254 | 2300 | HCP | | CLAIM PRICING/REPRICING INFORMATION | S | Not used |
| 259 | 2310A | | | REFERRING PROVIDER NAME LOOP | S | |
| 259 | 2310A | NM1 | | REFERRING PROVIDER NAME | S | Not used |
| 262 | 2310A | REF | | REFERRING PROVIDER SECONDARY IDENTIFICATION | S | Not used |
| 264 | 2310B | | | RENDERING PROVIDER NAME LOOP | S | Required when the Rendering Provider NM1 information is different than that carried in either the Billing Provider NM1 or the Pay-to Provider NM1 in the 2010AA/AB loops respectively. |
| 264 | 2310B | NM1 | | RENDERING PROVIDER NAME | s | Required if this Loop is present. |
| 265 | 2310B | NM1 | 01 | Entity Identifier Code | R | Valid Value: "82" – Rendering Provider |
| 265 | 2310B | NM1 | 02 | Entity Type Qualifier | R | Valid Values: "1" – Person "2" – Non-Person Entity |
| 265 | 2310B | NM1 | 03 | Rendering Provider Last or Organization Name | R | |
| 265 | 2310B | NM1 | 04 | Rendering Provider First Name | S | Required when NM102 = "1" |
| 265 | 2310B | NM1 | 05 | Rendering Provider Middle Name | S | |
| 265 | 2310B | NM1 | 07 | Rendering Provider Name Suffix | S | Not used |
| 266 | 2310B | NM1 | 08 | Identification Code Qualifier | R | Valid Value: "XX" – NPI |
| 266 | 2310B | NM1 | 09 | Rendering Provider NPI | R | NPI |
| 267 | 2310B | PRV | | RENDERING PROVIDER SPECIALTY INFORMATION | S | Required when this Loop is present. |
| 267 | 2310B | PRV | 01 | Provider Code | R | Valid Value: "PE" – Performing Provider |
| 267 | 2310B | PRV | 02 | Reference Identification Qualifier | R | Valid Value: "PXC" – Taxonomy Code |
| 267 | 2310B | PRV | 03 | Provider Taxonomy Code | R | Taxonomy Code |
| 269 | 2310B | REF | | RENDERING PROVIDER SECONDARY IDENTIFICATION | S | Required when this Loop is present. |
| 269 | 2310B | REF | 01 | Reference Identification Qualifier | R | Valid Value: "G2"– Provider Number |
| 270 | 2310B | REF | 02 | Rendering Provider Secondary Identifier | R | State Medicaid Provider ID |
| 271 | 2310C | | | SERVICE FACILITY LOCATION LOOP | S | |
| | | | | | | |

| 271 | 2310C | NM1 | | SERVICE FACILITY LOCATION | s | Required when the location of the Service is different than that carried in Loop 2010AA (Billing Provider). |
|-----|-------|-----|----|---|---|--|
| 272 | 2310C | NM1 | 01 | Entity Identifier Code | R | Valid Value: "77" – Service Location |
| 272 | 2310C | NM1 | 02 | Entity Type Qualifier | R | Valid Value: "2" - Non-Person Entity |
| 272 | 2310C | NM1 | 03 | Last or Organization Name | R | Follow Implementation Guide for this data element. |
| 272 | 2310C | NM1 | 08 | Identification Code Qualifier | S | Accepted Values: "XX" – NPI |
| 273 | 2310C | NM1 | 09 | Rendering Provider Identifier | S | NPI |
| 274 | 2310C | N3 | | SERVICE FACILITY LOCATION ADDRESS | R | Required when this loop is present. Follow Implementation Guide for this Segment and all data elements. |
| 275 | 2310C | N4 | | SERVICE FACILITY LOCATION CITY, STATE, ZIP CODE | R | Required when this loop is present. Follow Implementation Guide for this Segment and all data elements. |
| 277 | 2310D | REF | | SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION | S | Follow Implementation Guide for this Segment and all data elements. |
| 282 | 2310D | | | SUPERVISING PROVIDER NAME LOOP | | Not used |
| 287 | 2310E | | | AMBULANCE PICK-UP LOCATION | | Not used |
| 292 | 2310F | | | AMBULANCE DROP-OFF LOCATION | | Not used |
| 297 | 2320 | | | OTHER SUBSCRIBER INFORMATION LOOP | | Required when other payers are involved in paying on this claim. |
| 297 | 2320 | SBR | | OTHER SUBSCRIBER INFORMATION | S | Follow Implementation Guide for this Segment and all data elements. |
| 298 | 2320 | SBR | 01 | Payer Responsibility Sequence Number Code | R | Valid Values: Please see the Implementation Guide for values. |
| 298 | 2320 | SBR | 02 | Individual Relationship Code | R | Valid Value: "01" – Spouse "18" – Self "19" – Child "20" – Employee "21" – Unknown "39" – Organ Donor "40" – Cadaver Donor "53" – Life Partner "G8" – Other Relationship |
| 299 | 2320 | SBR | 03 | Insured Group or Policy Number | S | Other Insurer's ID for this person. |
| 299 | 2320 | SBR | 04 | Other Insured Group Name | S | Follow Implementation Guide for this data element. |

| 299 | 2320 | SBR | 05 | Insurance Type Code | S | Valid Values: "12" – Medicare Secondary Working Aged Beneficiary or Spouse w/ Employer Group Health Plan "13" – Medicare Secondary End-Stage Renal Disease Beneficiary in the Mandated Coordination Period "14" – Medicare Secondary, No-fault Insurance including Auto is Primary "15" – Medicare Secondary Worker's Compensation "16" – Medicare Secondary Public Health Service (PHS) or Other Federal Agency "41" – Medicare Secondary BlackLung "42" – Medicare Secondary Veteran's Administration "43" – Medicare Secondary Disabled Beneficiary Under Age 65 with Large Group Health Plan (LGHP) "47" – Medicare Secondary, Other Liability Insurance is Primary |
|-----|------|-----|----|--------------------------------|---|--|
| 300 | 2320 | SBR | 09 | Claim Filing Indicator Code | S | Valid Values: "11" – Other Non-Federal Programs "12" – Preferred Provider Organization "13" – Point of Service "14" – Exclusive Provider Organization "15" – Indemnity Insurance "16" – Health Maintenance Organization Medicare Risk "17" – Dental Maintenance Organization "AM" – Automobile Medical "BL" – Blue Cross/Blue Shield "CH" – Champus "CI" – Commercial Insurance Company "DS" – Disability "FI" – Federal Employees Program "HM" – Health Maintenance Organization "LM" – Liability Medical "MA" – Medicare Part A "MB" – Medicare Part B "OF" – Other Federal Program (includes Medicare Part D) "TV" – Title V "VA" – Veteran Administration Plan "WC" – Workers' Compensation "ZZ" - Unknown |
| 301 | 2320 | CAS | | CLAIM LEVEL ADJUSTMENT | S | Required when the claim has been adjudicated by the payer identified in this loop and the claim has claim level adjustment information. Used to report prior payers' amount paid. |
| 303 | 2320 | CAS | 01 | Claim Adjustment Group Code | R | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |
| 303 | 2320 | CAS | 02 | Claim Adjustment Reason | R | |
| 303 | 2320 | CAS | 03 | Code Adjustment Amount | R | |
| 303 | 2320 | CAS | 04 | Adjustment Quantity | R | + |
| 303 | 2320 | CAS | 05 | Claim Adjustment Group Code | S | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |

| 303 | 2320 | CAS | 06 | Adjustment Amount | S | |
|-----|------|-----|----|---|---|--|
| 304 | 2320 | CAS | 07 | Adjustment Quantity | S | |
| 304 | 2320 | CAS | 08 | Claim Adjustment Reason Code | S | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |
| 304 | 2320 | CAS | 09 | Adjustment Amount | S | |
| 304 | 2320 | CAS | 10 | Adjustment Quantity | S | |
| 304 | 2320 | CAS | 11 | Claim Adjustment Reason Code | S | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |
| 305 | 2320 | CAS | 12 | Adjustment Amount | S | |
| 305 | 2320 | CAS | 13 | Adjustment Quantity | S | |
| 305 | 2320 | CAS | 14 | Claim Adjustment Reason Code | S | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |
| 305 | 2320 | CAS | 15 | Adjustment Amount | S | |
| 305 | 2320 | CAS | 16 | Adjustment Quantity | S | |
| 306 | 2320 | CAS | 17 | Claim Adjustment Reason Code | S | Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility |
| 306 | 2320 | CAS | 18 | Adjustment Amount | S | |
| 306 | 2320 | CAS | 19 | Adjustment Quantity | S | |
| 307 | 2320 | AMT | | COORDINATION OF BENEFITS (COB) PAYER PAID AMOUNT | S | Required when the claim has been adjudicated by the payer identified in Loop 2330B of this loop OR when loop 2010AC is present. |
| 307 | 2320 | AMT | 01 | Amount Qualifier Code | R | Valid Value: "D" – Payor Amount Paid |
| 307 | 2320 | AMT | 02 | Other Payer Paid Amount | R | Other Payor Paid Amount (Can = 0) |
| 308 | 2320 | AMT | | COORDINATION OF BENEFITS (COB) PAYER NON-COVERED AMOUNT | s | Follow Implementation Guide for this Segment and all data elements. |
| 308 | 2320 | АМТ | 01 | Amount Qualifier Code | R | Valid Value: "A8" – Non-covered Charges - Actual |
| 308 | 2320 | AMT | 02 | Other Payer Paid Amount | R | Other Payor Paid Amount (Can = 0) |
| 309 | 2320 | AMT | | REMAINING PATIENT LIABILITY | S | Not used |
| 310 | 2320 | OI | | OTHER INSURANCE COVERAGE INFORMATION | R | Information in this segment applies only to the payer identified in Loop 2330B |

| 310 | 2320 | Ol | 03 | Benefits Assignment Certification Indicator | R | Valid Values: "N" – No "W" – Not Applicable (use when patient refuses to assign benefits) "Y" - Yes |
|-----|-------|-----|----|--|----------|---|
| 311 | 2320 | OI | 04 | Patient Signature Source Code | <i>s</i> | Required when a signature was executed on the patient's behalf. Valid Value: "P" – Signature generated by provider because patient was no physically present for services |
| 311 | 2320 | OI | 06 | Release of Information Code | R | Valid Values: "I" – Informed Consent "Y" – Provider hasa Signed Statement Permitting Release of Medical Billing Data Related to a Claim |
| 312 | 2320 | MOA | | MEDICARE OUTPATIENT ADJUDICATION INFORMATION | S | Not used |
| 315 | 2330A | | | OTHER SUBSCRIBER NAME LOOP | S | The 2330A Loop is required when Loop ID 2320 Other Subscriber Information is present. Otherwise, this loop is not used. |
| 315 | 2330A | NM1 | | OTHER SUBSCRIBER NAME | S | Follow Implementation Guide for this Segment and all data elements. |
| 316 | 2330A | NM1 | 01 | Entity Identifier Code | R | Valid Value: "IL" – Subscriber |
| 316 | 2330A | NM1 | 02 | Entity Type Qualifier | R | Valid Value: "1" - Person |
| 316 | 2330A | NM1 | 03 | Other Insured Last Name | R | Other Subscriber Last Name |
| 316 | 2330A | NM1 | 04 | Other Insured First Name | R | Other Subscriber First Name |
| 316 | 2330A | NM1 | 05 | Other Insured Middle Name | S | Other Subscriber Middle Name (if available) |
| 316 | 2330A | NM1 | 06 | Not Used | S | Not Used |
| 316 | 2330A | NM1 | 07 | Other Name Suffix | S | Not Used |
| 317 | 2330A | NM1 | 08 | Other Subscriber Identification Code Qualifier | R | Valid Value: "MI" – Member Identification Number |
| 317 | 2330A | NM1 | 09 | Other Subscriber Primary Identifier | R | Other Subscriber Primary Identifier |
| 318 | 2330A | N3 | | OTHER SUBSCRIBER ADDRESS | S | Not used |
| 319 | 2330A | N4 | | OTHER SUBSCRIBER CITY, STATE, ZIP CODE | S | Not used |
| 321 | 2330A | REF | | OTHER SUBSCRIBER SECONDARY INFORMATION | S | Not used |
| 322 | 2330B | | | OTHER PAYER NAME LOOP | S | The 2330A Loop is required when Loop ID 2320 - Other Subscriber Information is used. Otherwise, this loop is not used. |
| 322 | 2330B | NM1 | | OTHER PAYER NAME | R | Follow Implementation Guide for this Segment and all data elements. |
| 322 | 2330B | NM1 | 01 | Entity Identifier Code | R | Valid Value: "PR" – Payer |
| 322 | 2330B | NM1 | 02 | Entity Type Identifier | R | Valid Value: "2" – Non-Person |
| 323 | 2330B | NM1 | 03 | Other Payer Organization Name | R | Other Payer Organization Name |

| 323 | 2330B | NM1 | 08 | Identification Code Qualifier | R | Valid Value: "Pl" – Payer Identification |
|-----|-------|-----|------|---|---|--|
| 323 | 2330B | NM1 | 09 | Other Payer Identifier | R | Other Payer Identifier |
| 324 | 2330B | N3 | | OTHER PAYER ADDRESS | S | Not used |
| 325 | 2330B | N4 | | OTHER PAYER CITY, STATE, ZIP | S | Not used |
| 327 | 2330B | DTP | | CLAIM CHECK OR REMITTANCE DATE | S | Follow Implementation Guide for this Segment and all data elements. |
| 328 | 2330B | REF | | OTHER PAYER SECONDARY IDENTIFICATION AND REFERENCE NUMBER | S | Follow Implementation Guide for this Segment and all data elements. |
| 328 | 2330B | REF | | OTHER SECONDARY IDENTIFIER | S | Not used |
| 330 | 2330B | REF | | OTHER PAYER PRIOR AUTHORIZATION NUMBER | S | Not used |
| 331 | 2330B | REF | | OTHER PAYER REFERRAL NUMBER | S | Not used |
| 332 | 2330B | REF | | OTHER PAYER CLAIM ADJUSTMENT INDICATOR | S | Not used |
| 333 | 2330B | REF | | OTHER PAYER CLAIM CONTRAL NUMBER | S | Not used |
| 334 | 2330C | | | OTHER PAYER REFERRING PROVIDER LOOP | S | Not used |
| 338 | 2330D | | | OTHER PAYER RENDERING PROVIDER LOOP | S | Not used |
| 342 | 2330E | | | OTHER PAYER SERVICE FACILITY LOCATION LOOP | S | Not used |
| 345 | 2330F | | | OTHER PAYER SUPERVISING PROVIDER LOOP | S | Not used |
| 349 | 2330G | | | OTHER PAYER BILLING PROVIDER LOOP | S | Not used |
| 352 | 2400 | | | SERVICE LINE LOOP | R | |
| 352 | 2400 | LX | | SERVICE LINE NUMBER | R | Follow Implementation Guide for this Segment and all data elements. |
| 352 | 2400 | LX | 01 | Assigned Number | R | Claim Line Number |
| 353 | 2400 | SV1 | | PROFESSIONAL SERVICE | R | |
| 354 | 2400 | SV1 | 01 | Composite Medical Procedure Identifier | R | |
| 355 | 2400 | SV1 | 01-1 | Product or Service ID Qualifier | R | Valid Value: "HC" - HCPCS (and CPT) codes |
| 355 | 2400 | SV1 | 01-2 | Procedure Code | R | Procedure code for this line item |
| 355 | 2400 | SV1 | 01-3 | Procedure Modifier 1 | S | Follow Implementation Guide for this data element. |
| 355 | 2400 | SV1 | 01-4 | Procedure Modifier 2 | S | Follow Implementation Guide for this data element. |
| 355 | 2400 | SV1 | 01-5 | Procedure Modifier 3 | S | Follow Implementation Guide for this data element. |
| 356 | 2400 | SV1 | 01-6 | Procedure Modifier 4 | S | Follow Implementation Guide for this data element. |
| 356 | 2400 | SV1 | 01-7 | Description | S | Follow Implementation Guide for this data element. |

| 357 2400 SVI 3 | 356 | 2400 | SV1 | 2 | Line Item Charge Amount | R | Follow Implementation Guide for this data element. |
|--|-----|------|-----|------|---|---|---|
| | 357 | 2400 | SV1 | 3 | Unit or Basis for | R | |
| element. element. element. element. element. Please provide for county/state reporting. Follow Implementation Guide for this data element. Please provide for county/state reporting. Follow Implementation Guide for this data element. Please provide for county/state reporting. Follow Implementation Guide for this data element. Please provide for county/state reporting. Please provide for county state. Please provide for co | | | | | | | |
| Section Sect | 357 | 2400 | SV1 | 4 | Service Unit Count | R | |
| Code Pointer Profile | 357 | 2400 | SV1 | 05 | Place of Service Code | S | Follow Implementation Guide for this data |
| Seminary Seminary | 358 | 2400 | | | Code Pointer | R | |
| SV1 107-3 Diagnosis Code Pointer S Follow Implementation Guide for this data element. | 358 | 2400 | SV1 | 07-1 | Diagnosis Code Pointer | R | • |
| element. | 358 | 2400 | SV1 | 07-2 | Diagnosis Code Pointer | S | |
| Selement Selement | 358 | 2400 | SV1 | 07-3 | Diagnosis Code Pointer | S | |
| Semigranian | 358 | 2400 | SV1 | 07-4 | Diagnosis Code Pointer | S | • |
| 359 2400 SV1 12 Family Planning Indicator S Not used | 359 | 2400 | SV1 | 09 | Emergency Indicator | S | |
| 360 2400 SV1 15 | 359 | 2400 | SV1 | 11 | EPSDT Indicator | S | Required if Medicaid services are the result of a screening referral. |
| SV5 | 359 | 2400 | SV1 | 12 | Family Planning Indicator | S | Not used |
| Service Serv | 360 | 2400 | SV1 | 15 | Co-Pay Status Code | S | |
| INFORAMTION DURABLE MEDICAL EQUIPMENT CERTIFICATION SPINAL MANIPULATION SERVICE INFORMATION SUPPLIES SUPP | 361 | 2400 | SV5 | | _ | S | Not used |
| CRTIFICATION SPINAL MANIPULATION S Not used | 364 | 2400 | PWK | | | s | Not used |
| SERVICE INFORMATION STATE SERVICE INFORMATION STATE SERVICE INFORMATION STATE SERVICE INFORMATION STATE SERVICE INFORMATION SERVICE INFORMATION SERVICE INFORMATION SERVICE DATE SERVICE DATE | 365 | 2400 | PWK | | EQUIPMENT | S | Not used |
| EQUIPMENT CERTIFICATION | 370 | 2400 | CR1 | | SPINAL MANIPULATION SERVICE INFORMATION | S | Not used |
| CERTIFICATION S | 373 | 2400 | CR3 | | EQUIPMENT | S | Not used |
| 378 2400 CRC HOSPICE EMPLOYEE INDICATOR S Not used 380 2400 CRC DMERC CONDITION INDICATOR S Not used 382 2400 DTP DATE - SERVICE DATE R Follow Implementation Guide for this Segment and all data elements. 382 2400 DTP 01 Date Time Qualifier R Valid Value: "472" - Service 382 2400 DTP 02 Date Time Period Format Qualifier R Valid Values: "D8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD CCYYMMDD 383 2400 DTP 03 Service Date R Service Date 384 2400 DTP DATE - PRESCRIPTION DATE S Not used 385 2400 DTP DATE - CERTIFICATION REVISION DATE S Not used | 375 | 2400 | CRC | | | S | Not used |
| 380 2400 CRC DMERC CONDITION INDICATOR S Not used 382 2400 DTP DATE - SERVICE DATE R Follow Implementation Guide for this Segment and all data elements. 382 2400 DTP 01 Date Time Qualifier R Valid Value: "472" - Service 382 2400 DTP 02 Date Time Period Format Qualifier R Valid Values "D8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD CCYYMMDD 383 2400 DTP 03 Service Date R Service Date 384 2400 DTP DATE - PRESCRIPTION DATE S Not used 385 2400 DTP DATE - CERTIFICATION REVISION DATE S Not used | 378 | 2400 | CRC | | HOSPICE EMPLOYEE | S | Not used |
| 382 2400 DTP DATE - SERVICE DATE R Follow Implementation Guide for this Segment and all data elements. 382 2400 DTP 01 Date Time Qualifier R Valid Value: "472" - Service 382 2400 DTP 02 Date Time Period Format Qualifier R Valid Values: "D8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD "RD8" - CCYYMMDD CCYYMMDD 383 2400 DTP 03 Service Date R Service Date 384 2400 DTP DATE - PRESCRIPTION DATE S Not used 385 2400 DTP DATE - CERTIFICATION REVISION DATE S Not used | 380 | 2400 | CRC | | DMERC CONDITION | s | Not used |
| 382 2400 DTP 02 Date Time Period Format Qualifier R Valid Values: "D8" – CCYYMMDD "RD8" – CCYYMMDD "RD8" – CCYYMMDD CCYYMMDD Service Date R Service Date Service Dat | 382 | 2400 | DTP | | | R | |
| 383 2400 DTP 03 Service Date R Service Date 384 2400 DTP DATE - PRESCRIPTION DATE S Not used 385 2400 DTP DATE - CERTIFICATION REVISION DATE S Not used | 382 | 2400 | DTP | 01 | Date Time Qualifier | R | |
| 384 2400 DTP DATE - PRESCRIPTION S Not used 385 2400 DTP DATE - CERTIFICATION S Not used REVISION DATE | 382 | 2400 | DTP | 02 | | R | "D8" – CCYYMMDD |
| 385 2400 DTP DATE DATE S Not used REVISION DATE | 383 | 2400 | DTP | 03 | Service Date | R | Service Date |
| 385 2400 DTP DATE - CERTIFICATION S Not used REVISION DATE | 384 | 2400 | DTP | | | s | Not used |
| 386 2400 DTP DATE - BEGIN THERAPY S Not used | 385 | 2400 | DTP | | DATE - CERTIFICATION | s | Not used |
| | 386 | 2400 | DTP | 1 | DATE - BEGIN THERAPY | S | Not used |

This material is provided on the recipient's agreement that it will only be used for the purpose of describing United Healthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of United Health Group is prohibited.

| | | | | DATE | | |
|-----|-------|-----|----|---|-------------------|--|
| 387 | 2400 | DTP | | DATE – DATE LAST SEEN | S | Not used |
| 389 | 2400 | DTP | | DATE – TEST | S | Not used |
| 390 | 2400 | DTP | | DATE - SHIPPED | S | Not used |
| 391 | 2400 | DTP | | DATE - LAST X-RAY | S | Not used |
| 392 | 2400 | DTP | | DATE – INITIAL | S | Not used |
| 393 | 2400 | QTY | | TREATMENT AMBULANCE PATIENT | S | Not used |
| 393 | 2400 | QII | | COUNT | 3 | Not usea |
| 394 | 2400 | QTY | | OBSTETRIC ANESTHESIA ADDITIONAL UNITS | S | Not used |
| 395 | 2400 | MEA | | TEST RESULT | S | Not used |
| 397 | 2400 | CN1 | | CONTRACT INFORMATION | S | Not used |
| 399 | 2400 | REF | | REPRICED LINE ITEM REFERENCE NUMBER | S | Not used |
| 400 | 2400 | REF | | ADJUSTED REPRICED LINE ITEM REFERENCE NUMBER | S | Not used |
| 401 | 2400 | REF | | PRIOR AUTHORIZATION OR REFERRAL NUMBER | S | Not used |
| 403 | 2400 | REF | | LINE ITEM CONTROL NUMBER | S | Follow Implementation Guide for this Segment and all data elements. |
| 403 | 2400 | REF | 01 | Reference Identification Number | R | Valid Value: "6R" – Provider Control Number |
| 404 | 2400 | REF | 02 | Line Item Control Number | R | |
| 405 | 2400 | REF | | MAMMOGRAPHY CERTIFICATION NUMBER | S | Not used |
| 406 | 2400 | REF | | CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) IDENTIFICATION | S | Not used |
| 407 | 2400 | REF | | REFERRING CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) NUMBER | S | Not used |
| 408 | 2400 | REF | | IMMUNIZATION BATCH | S | Not used |
| 409 | 2400 | REF | | NUMBER REFERRAL NUMBER | S | Not used |
| 411 | 2400 | AMT | | SALES TAX AMOUNT | S | Not used |
| 412 | 2400 | AMT | | POSTAGE CLAIMED | S | Not used |
| 413 | 2400 | КЗ | | AMOUNT FILE INFORMATION | S | Not used |
| 415 | 2400 | NTE | | LINE NOTE | S | Valid Values: NTE01 = "DCP"; NTE02 = "EBP-[code][code]" |
| 416 | 2400 | NTE | | THIRD PARTY | S | Not used |
| 417 | 2400 | PS1 | | ORGANIZATION NOTES PURCHASED SERVICE INFORMATION | S | Not used |
| 418 | 2400 | НСР | | LINE PRICING/REPRICING INFORMATION | S | Not used |
| 425 | 2410 | | | DRUG IDENTIFICATION LOOP | S | Not used |
| 433 | 2420A | | | RENDERING PROVIDER NAME LOOP | S | Not used |
| 439 | 2420B | | | PURCHASED SERVICE PROVIDER NAME LOOP | S | Not used |
| 444 | 2420C | | | SERVICE FACILITY LOCATION LOOP | | Not used |
| 452 | 2420D | | | SUPERVISING PROVIDER | d for the program | Not used |

| | | | | LOOP |] | |
|-----|-------|-----|----|---|---|---|
| 457 | 2420E | | | ORDERING PROVIDER LOOP | | Not used |
| 468 | 2420F | | | REFERRING PROVIDER LOOP | | Not used |
| 473 | 2420G | | | AMBULANCE PICK-UP LOCATION | | Not used |
| 478 | 2420H | | | AMBULANCE DROP-OFF LOCATION | | Not used |
| 483 | 2430 | | | SERVICE LINE ADJUDICATION INFORMATION LOOP | S | Required if claim has been previously adjudicated by payer identified in Loop 2330B (OTHER PAYER) and service line has adjustments applied to it. |
| 483 | 2430 | SVD | | SERVICE LINE ADJUDICATION INFORMATION | S | Follow Implementation Guide for this Segment and all data elements. Required when an adjustment is being requested. |
| 487 | 2430 | CAS | | LINE ADJUSTMENT | S | Follow Implementation Guide for this Segment and all data elements. |
| 493 | 2430 | DTP | | LINE ADJUDICATION DATE | S | Follow Implementation Guide for this Segment and all data elements. |
| | 2440 | | | FORM IDENTIFICATION CODE LOOP | S | |
| 495 | 2440 | LQ | | FORM IDENTIFICATION CODE | S | Follow Implementation Guide for this Segment and all data elements. |
| 497 | 2440 | FRM | | SUPPORTING DOCUMENTATION | S | Follow Implementation Guide for this Segment and all data elements. |
| 499 | 2440 | SE | | TRANSACTION SET TRAILER | R | Follow Implementation Guide for this Segment and all data elements. |
| 499 | 2440 | SE | 01 | Number of Included Segments | R | Valid Value: "837" – Health Care Claim |
| 499 | 2440 | SE | 02 | Transaction Set Control Number | R | A unique control number assigned by the Sender for this functional group for this transaction. |

10. APPENDECIES

10.1. IMPLEMENTATION CHECKLIST

The implementation check list will vary depending on your choice of connection; CAQH CORE Connectivity or Clearinghouse. However, a basic check list would be to:

- 1. Register with Trading Partner
- 2. Create and sign contract with trading partner
- 3. Establish connectivity
- 4. Send test transactions
- 5. If testing succeeds, proceed to send production transactions

10.2. BUSINESS SCENARIOS

Please refer to Section 4.4 above, which points to the appropriate website for Washington Publishing where the reader can view the 5010 Technical Report Type 3 (TR3, formerly known as Implementation Guide), which contains various business scenario examples.

10.3. TRANSMISSION EXAMPLES

Please refer to Section 4.4 above, which points to the appropriate website for Washington Publishing where the reader can view the TR3, which contains various transmission examples.

10.4. FREQUENTLY ASKED QUESTIONS

1. Does this Companion Guide apply to all OptumHealth payers?

No. The changes will apply to commercial and government business for OptumHealth using payer ID 87726.

2. How does OptumHealth support, monitor, and communicate expected and unexpected connectivity outages?

Our systems do have planned outages. For the most part, transactions will be queued during those outages. We will send an email communication for scheduled and unplanned outages.

3. If a 837 is successfully transmitted to OptumHealth, are there any situations that would result in no response being sent back?

No. OptumHealth will always send a response. Even if OptumHealth's systems are down and the transaction cannot be processed at the time of receipt, a response detailing the situation will be returned.

10.5. FILE NAMING CONVENTIONS

For more information, please contact your UHIN Account Manager. If you do not have an UHIN Account Manager, please contact UHIN at http://www.uhin.org/join or call 801-466-7705 for more information.