

Standard Companion Guide

Refers to the Implementation Guide Based on X12 Version 005010X223A2 Health Care Claim: Institutional

(837) Companion Guide Version

Number: 1.2

September 17 2020

Change Log

Version	Date	Changes					
1.0	11/9/2015	9/2015 Initial Draft					
1.1	9/17/2019	EBP Codes - 2300 Loop Segment NTE (Claim Note)					
	TPL/COB - Loops 2320, 2330A, 2330B, & 2430						
1.2	9/17/2020	Unique Patient Control Number Required - Loop 2300 Segment CLM01					

This material is provided on the recipient's agreement that it will only be used for the purpose of describing Optum's products and services to the recipient. Any other use, copying or distribution without the express written permission of UnitedHealth Group is prohibited.

Preface

This companion guide (CG) to the Technical Report Type 3 (TR3) adopted under HIPAA clarifies and specifies the data content when exchanging transactions electronically with Optum. Transactions based on this companion guide, used in tandem with the TR3, also called Health Care Claim: Institutional (837) ASC X12N/005010X223A2, are compliant with both X12 syntax and those guides. This companion guide is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. The companion guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

Table of Contents

1.	INT	RODUCTION	
	1.1.	SCOPE	
	1.2.	OVERVIEW	7
	1.3.	REFERENCE	7
	1.4.	ADDITIONAL INFORMATION	7
2.	GET	TING STARTED	8
	2.1.	WORKING WITH Optum	
	2.2.	TRADING PARTNER REGISTRATION	
	2.3.	CERTIFICATION AND TESTING OVERVIEW	9
	2.4.	TESTING WITH THE Optum10	
3.		NECTIVITY WITH THE PAYER / COMMUNICATIONS	
	3.1.	PROCESS FLOWS	.11
	3.2.	TRANSMISSION ADMINISTRATIVE PROCEDURES	
	3.3.	RE-TRANSMISSION PROCEDURE	11
	3.4.	COMMUNICATION PROTOCOL SPECIFICATIONS	
	3.5.	PASSWORDS	
	3.6.	SYSTEM AVAILABILITY	
	3.7.	COSTS TO CONNECT	
4.		ITACT INFORMATION	
	4.1.	EDI CUSTOMER SERVICE	
	4.2.	EDI TECHNICAL ASSISTANCE	
	4.3.	PROVIDER SERVICE NUMBER	
	4.4.	APPLICABLE WEBSITES / E-MAIL	.13
5.	CON	TROL SEGMENTS / ENVELOPES	
	5.1.	ISA-IEA	
	5.2.	GS-GE	
	5.3.	ST-SE	
	5.4.	CONTROL SEGMENT HIERARCHY	
	5.5.	CONTROL SEGMENT NOTES	_
	5.6.	FILE DELIMITERS	
6.	PAYE	ER SPECIFIC BUSINESS RULES AND LIMITATIONS	17
7.		NOWLEDGEMENTS AND OR REPORTS	
	7.1.	REPORT INVENTORY	.18
8.		DING PARTNER AGREEMENTS	
	8.1.	TRADING PARTNERS	.19
9.	TRA	NSACTION SPECIFIC INFORMATION	20
10		PENDECIES	
	10.1.	IMPLEMENTATION CHECKLIST	
	10.2.	BUSINESS SCENARIOS	
	10.3.	TRANSMISSION EXAMPLES	
	10.4.	FREQUENTLY ASKED QUESTIONS	
	10.5.	FILE NAMING CONVENTIONS	25

1. INTRODUCTION

This Companion Guide is intended to be used in conjunction with the "837 Institutional Claim Companion Guide Specifications for Public Sector Behavioral Health" for the version "Consolidated Documents: May 2006 005010x223 and June 2010 005010X223A2."

The information contained in this Companion Guide are specific to Utah Medicaid and other locally funded Behavioral Health encounters and claims being filed to OptumHealth. Utah Health Information Network (UHIN) will act as the clearinghouse for all transactions between facilities and providers to OptumHealth. Please contact UHIN at www.uhin.org or call 801-466-7705 x200. UHIN will assign a Trading Partner Number (TPN) for EDI.

The purpose of this guide is to support the successful submission of all HIPAA compliant 837 Institutional Claims transactions to OptumHealth.

PLEASE NOTE: The submission of all values required within this companion guide does not guarantee payment. All claims are subject to claim/encounter edits and audit processing.

1.1. SCOPE

This document is to be used for the implementation of the Technical Report Type 3 (TR3) HIPAA 5010 Health Care Claim: Institutional (837) (referred to Institutional Claim in the rest of this document) for the purpose of submitting Institutional Claim(s) electronically. This companion guide (CG) is not intended to replace the TR3.

1.2. OVERVIEW

This CG will replace, in total, the previous Optum CG versions for Health Care Institutional Claim and must be used in conjunction with the TR3 instructions. The CG is intended to assist you in implementing electronic Institutional Claim that meet Optum processing standards, by identifying pertinent structural and data related requirements and recommendations.

1.3. REFERENCE

For more information regarding the ASC X12 Standards for Electronic Data Interchange Health Care Claim: Institutional (837) ASC X12N/005010X223A2 and to purchase copies of the TR3 documents, consult the Washington Publishing Company web site at http://www.wpc-edi.com/.

1.4. ADDITIONAL INFORMATION

The American National Standards Institute (ANSI) is the coordinator for information on national and international standards. In 1979 ANSI chartered the Accredited Standards Committee (ASC) X12 to develop uniform standards for electronic interchange of business transactions and eliminate the problem of non-standard electronic data communication. The objective of the ASC X12 committee is to develop standards to facilitate electronic interchange relating to all types of business transactions. The ANSI X12 standards is recognized by the United States as the standard for North America. Electronic Data Interchange (EDI) adoption has been proved to reduce the administrative burden on providers.

- We can accept up to 999 claims per transaction. However, there is a limit of 50 lines per claim.
- The NPI and Tax ID (or SSN) must match to a single Medicaid contract see Loops 2010A, 2310B, 2310C). If a provider affiliates their NPI to more than one Medicaid Contract, a unique Taxonomy Code or unique address must be affiliated to their Contract. Update Taxonomy contract information with Optum Health at 877-370-8953.
- All submissions must use Trading Partner Number (TPN) HT006885-001 see ISA08 and GS03). Only one claim transaction type (837I) is allowed per transmission.
 Multiple 837I can be filed however Optum cannot accept a transmission containing multiple transaction types.
- Claims may be submitted 24 hours a day, 7 days a week. Claims are adjudicated for acceptance into the processing system at multiple times per day Monday through Friday.
- A 999 Acknowledgment For Health Care Insurance will be available for download within 2 business day of transmission for all 837 transactions.
- All outpatient services must be registered through ProviderConnectTMin order for claims to be accepted into the Claims Processing System. Failure to register services will result in claims being rejected from processing.
- Optum Health will send a 277CAwhich will list any claim (s) that were rejected prior to claim system load and any claim(s) that were accepted and pending in the claim system.

2. GETTING STARTED

2.1. WORKING WITH Optum

There is one method to connect with Optum for submitting and receiving EDI transactions; clearinghouse connection.

Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss their ability to support the Institutional Claim transaction, as well as associated timeframe, costs, etc.

Physicians and Healthcare Institutions also have an opportunity to submit and receive a suite of EDI transactions via UHIN. For more information, please contact your UHIN Account Manager. If you do not have an UHIN Account Manager, please contact UHIN at www.uhin.org or call 801-466-7705 for more information.

2.2. TRADING PARTNER REGISTRATION

Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss their ability to support the Institutional Claim transaction.

2.3. CERTIFICATION AND TESTING OVERVIEW

Optum does not certify Providers or Clearinghouses.

2.4. TESTING WITH Optum


Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss testing.

3. CONNECTIVITY WITH THE PAYER / COMMUNICATIONS

3.1. PROCESS FLOWS

Batch Institutional Claim:



3.2. TRANSMISSION ADMINISTRATIVE PROCEDURES

UHIN can be used in only batch mode.

3.3. RE-TRANSMISSION PROCEDURE

For sections 3.2 – 3.5, Physicians and Healthcare Institutions should contact their current clearinghouse vendor for information on the most current process.

3.4. COMMUNICATION PROTOCOL SPECIFICATIONS

Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss communication protocol specifications.

3.5. PASSWORDS

Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss testing.

3.6. SYSTEM AVAILABILITY

OptumHealth will accept 837 claim transaction submissions at any time, 24 hours per day/7 days a week. Claims are adjudicated for acceptance into the processing system at multiple times per day Monday through Friday. No changes to current system availability are expected. Any scheduled or unplanned outages will be communicated via email.

3.7. COSTS TO CONNECT

Clearinghouse Connection:

Physicians and Healthcare Institutions should contact their current clearinghouse vendor to discuss costs.

4. CONTACT INFORMATION

4.1. EDI CUSTOMER SERVICE

Should you have additional questions regarding the use of this Companion Guide,

please contact OptumHealth at 877-370-8953.

4.2. EDI TECHNICAL ASSISTANCE

Clearinghouse

Please contact UHIN at www.uhin.org or call 801-466-7705 x200.

Optum EDI Issue Reporting

• Should you have additional questions regarding the use of this Companion Guide, please contact Optum Health at 877-370-8953.

4.3. PROVIDER SERVICE NUMBER

Provider Services should be contacted at 877-370-8953 if you have questions regarding the details claim status. Provider Services is available Monday - Friday MT.

4.4. APPLICABLE WEBSITES / E-MAIL

Optum EDI help desk - 877-370-8953

Washington Publishing Company - http://www.wpc-edi.com/hipaa/

5. CONTROL SEGMENTS / ENVELOPES

5.1. **ISA-IEA**

Transactions transmitted during a session or as a batch are identified by an interchange header segment (ISA) and trailer segment (IEA) which form the envelope enclosing the transmission. Each ISA marks the beginning of the transmission (batch) and provides sender and receiver identification.

The table below represents only those fields that Optum Health requires insertion of a specific value or has additional guidance on what the value should be. The table does not represent all of the fields necessary for a successful transaction; the TR3 should be reviewed for that information.

Segment ID	Element ID	Segment or Element Name	(R)equired (S)ituational	OH Salt Lake County Instructions
ISA		INTERCHANGE CONTROL HEADER	R	Follow Implementation Guide for this Segment and all data elements.
ISA	01	Authorization Information Qualifier	R	Valid Value: "00" – No Authorization Information Present
ISA	02	Authorization Information	R	Valid Value: Pad to 10 characters
ISA	03	Security Information Qualifier	R	Valid Value: "00" – No Security Information Present
ISA	04	Security Information	R	Valid Value: Pad to 10 characters
ISA	05	Interchange (Sender) ID	R	Valid Value: "ZZ" – Mutually Defined
ISA	06	Interchange Sender ID	R	Valid Value: UHIN Trading Partner ID (right padded to 15 characters. For example, AA000000-000)
ISA	07	Interchange (Receiver) ID	R	Valid Value: "ZZ" – Mutually Defined
ISA	08	Interchange Receiver ID	R	Valid Value: HT006885-001 (right padded to 15 characters)
ISA	09	Interchange Date	R	Valid Value: Date Interchange Sent (YYMMDD)
ISA	10	Interchange Time	R	HHMM
ISA	11	Repetition Separator	R	This field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure. This value must be different than the data element separator, component element separator, and the segment terminator.
ISA	12	Interchange Control Version Number	R	Valid Value: "00501"
ISA	13	Interchange Control Number	R	Must be 9 characters and must be the same value as that sent in the associated IEA02.
ISA	14	Acknowledgment Requested	R	Valid Value: "0" – No Interchange Acknowledgment Requested
ISA	15	Interchange Usage Indicator	R	Valid Values: "P" — Production Data "T" – Test Data
ISA	16	Component Element Separator	R	":" – Colon is recommended

5.2. GS-GE

EDI transactions of a similar nature and destined for one trading partner may be gathered into a functional group, identified by a functional group header segment (GS) and a functional group trailer segment (GE). Each GS segment marks the beginning of a functional group. There can be many functional groups within an interchange envelope. The number of GS/GE functional groups that exist in the transmission.

		groupo aracomocni are		
Segment ID	Element ID	Segment or Element Name	(R)equired (S)ituational	OH Salt Lake County Instructions
GS		FUNCTIONAL GROUP HEADER	R	Follow Implementation Guide for this Segment and all data elements.
GS	01	Functional Identifier Code	R	Valid Value: "HC" — Health Care Claim
GS	02	Application Sender's Code	R	Valid Value: Please send your organization's UHIN ID
GS	03	Application Receiver's	R	Valid Value: HT006885-001
GS	04	Date (Functional Group Create Date)	R	CCYYMMDD
GS	05	Time (Functional Group Create Time)	R	ННММ
GS	06	Group Control Number	R	It is recommended that you send a sequential number or identifier that will help you to reconcile your filings.
GS	07	Responsible Agency Code	R	Valid Value: "X" – Accredited Standards Committee X12
GS	08	Version / Release /	R	Valid Value:
		Industry Identifier Code		"005010X222A1" – Standards Approved for Publication by ASC X12 Procedures Review Board
GE		FUNCTIONAL GROUP TRAILER	R	Follow Implementation Guide for this Segment and all data elements.
GE	01	Number of Transaction Sets Included	R	Total number of transaction sets included in this functional group.
GE	02	Group Control Number	R	Valid Value: Must = the value sent in the associated GS08.

5.3. ST-SE

The beginning of each individual transaction is identified using a transaction set header segment (ST). The end of every transaction is marked by a transaction set trailer segment (SE). For real time transactions, there will always be one ST and SE combination. An 837 file can only contain 837 transactions.

The table below represents only those fields that Optum Health requires insertion of a specific value or has additional guidance on what the value should be. The table does not represent all of the fields necessary for a successful transaction; the TR3 should be reviewed for that information.

Loop ID	Segment ID	Element ID	Segment or Element Name	(R)equired (S)ituational	OH Salt Lake County Instructions
	ST		TRANSACTION SET HEADER	R	Follow Implementation Guide for this Segment and all data elements.
	ST	01	Transfer Set Identifier Qualifier	R	Valid Value: "837" – Health Care Claim
	ST	02	Transaction Set Control Number	R	A unique control number assigned by the Sender for this functional group for this transaction.
	ST	03	Implementation Convention Reference	R	Valid Value: "005010X222A1"
	SE		TRANSACTION SET TRAILER	R	Follow Implementation Guide for this Segment and all data elements.

This material is provided on the recipient's agreement that it will only be used for the purpose of describing OptumHealth's products and services to the recipient. Any other use, copying or distribution without the express written permission of UnitedHealth Group is prohibited.

5.4. CONTROL SEGMENT HIERARCHY

ISA - Interchange Control Header segment

GS - Functional Group Header segment

ST - Transaction Set Header segment First 837 Transaction

SE - Transaction Set Trailer segment

ST - Transaction Set Header segment Second 837 Transaction

SE - Transaction Set Trailer segment

ST - Transaction Set Header segment

Third 837 Transaction

SE - Transaction Set Trailer segment

GE - Functional Group Trailer segment

IEA - Interchange Control Trailer segment

5.5. CONTROL SEGMENT NOTES

The ISA data segment is a fixed length record and all fields must be supplied. Fields that are not populated with actual data must be filled with space.

- The first element separator (byte 4) in the ISA segment defines the element separator to be used through the entire interchange.
- The ISA segment terminator (byte 106) defines the segment terminator used throughout the entire interchange.
- ISA16 defines the component element

5.6. FILE DELIMITERS

OptumHealth requests that you use the following delimiters on your 837 file. If used as delimiters, these characters (*: \sim ^) must not be submitted within the data content of the transaction sets.

Data Segment: The recommended data segment delimiter is a tilde (~).

Data Element: The recommended data element delimiter is an asterisk (*).

Component-Element: ISA16 defines the component element delimiter is to be used throughout the entire transaction. The recommended component-element delimiter is a colon (:).

Repetition Separator: ISA11 defines the repetition separator to be used throughout the entire transactions. The recommended repetition separator is a carrot (^).

6. PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

6.1 Electronic Claim Submission Guidelines

Please reference the OptumHealth Administrative Guide which can be found at OptumHealthOnline.com under the Quick Links section of the main page.

6.2 Validation of Claims at OptumHealth:

United applies 2-levels of editing to inbound HIPAA 837 files and claims:

1. Level-1 HIPAA Compliance:

Full levels 1-4.
Claims passing are assigned an OptumHealth Payer Claim Control Number and our "accepted" for **front-end** processing.

2. Level-2 Front-End Validation:

- a. Member match
- b. Provider match
- Claims passing front-end validation are accepted into the Adjudication system for processing.
- 4. Institutional Claim that is received before the service date (prior to 10/1/2015) with ICD-10 codes qualifiers will be rejected by OptumHealth. Note: Mandate date for accepting the ICD -10 is set as 10/1/2015.
- 5. Institutional Claim with the value 'II' (Standard Unique Health Identifier) in Subscriber Name, field NM108 will be rejected by OptumHealth.

7. ACKNOWLEDGEMENTS AND OR REPORTS

7.1. REPORT INVENTORY

999 - This file informs submitter that the transaction arrived and provides information about the syntactical quality of each of the 837 claims submitted. Level 1 validation.

277CA – This file informs the submitter of the disposition of their claims through Level 2 Front End Validation, it reports both accepted and rejected claims.

8. TRADING PARTNER AGREEMENTS

8.1. TRADING PARTNERS

An EDI Trading Partner is defined as any OptumHealth customer (provider, billing service, software vendor, employer group, financial institution, etc.) that transmits to, or receives electronic data from UnitedHealth Group.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

For example, a Trading Partner Agreement may specify among other things, the roles and responsibilities of each party to the agreement in conducting standard transactions.

9. TRANSACTION SPECIFIC INFORMATION

This section describes how TR3's adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that UnitedHealth Group has something additional, over and above, the information in the TR3's. That information can:

- 1. Limit the repeat of loops, or segments
- 2. Limit the length of a simple data element
- 3. Specify a sub-set of the TR3's internal code listings
- 4. Clarify the use of loops, segments, composite and simple data elements
- 5. Any other information tied directly to a loop, segment, and composite or simple data element pertinent to trading electronically with OptumHealth

In addition to the row for each segment, one or more additional rows are used to describe OptumHealth's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

The following table specifies the columns and suggested use of the rows for the detailed description of the transaction set companion guides. The table contains a row for each segment that OptumHealth has something additional, over and above, the information in the TR3's. The following is just an example of the type of information that would be spelled out or elaborated on in: Section 9 – Transaction Specific Information.

The below table provides any Optum Health specific requirements for claim construct and data values.

Pag e#	Loop ID	Segmen t ID	Elemen t ID	Segment or Element Name	(R)equired (S)ituation al	OH Instructions
67		ST		TRANSACTION SET HEADER	R	Follow Implementation Guide for this Segment and all data elements.
67		ST	01	Transfer Set Identifier Qualifier	R	Valid Value: "837" – Health Care Claim
67		ST	02	Transaction Set Control Number	R	A unique control number assigned by the Sender for this functional group for this transaction.
67		ST	03	Implementation Convention Reference	R	Valid Value: 005010X223
68		ВНТ		BEGINNING OF HIERARCHICAL TRANSACTION	R	Follow Implementation Guide for this Segment and all data elements.
68		ВНТ	01	Hierarchical Structure Code	R	Valid Value: "0019" – Information Source, Subscriber, Dependent
68		ВНТ	02	Transaction Set Purpose Code	R	Valid Values: "00" – Original "18" – Reissue
69		внт	03	Originator Application Transaction Identifier	R	This is an inventory file number of the transmission assigned by the Submitter and operates as the Submitter's batch number. Can be up to 30 characters.
69		ВНТ	04	Transaction Set Creation Date	R	CCYYMMDD
69		ВНТ	05	Transaction Set Creation Time	R	ННММ
69		ВНТ	06	Transaction Type Code	R	Valid Values: "CH" – Chargeable (used by fee for service providers) "RP" – To be used by providers who are not fee for service but do report encounters
71	1000A			SUBMITTER NAME LOOP	R	
72	1000A	NM1		SUBMITTER NAME	R	
72	1000A	NM1	01	Entity Identifier Code	R	Valid Value: "41" – Submitter
72	1000A	NM1	02	Entity Type Qualifier	R	Valid Values: "1" – Person "2" – Non-Person Entity
72	1000A	NM1	03	Submitter Last or Organization Name	R	Follow Implementation Guide for this data element.
72	1000A	NM1	04	Submitter First Name	S	Follow Implementation Guide for this data element.
72	1000A	NM1	05	Submitter Middle Name	S	Follow Implementation Guide for this data element.
72	1000A	NM1	08	Identification Code Qualifier	R	Valid Value: "46" – Trading Partner Number

1000A	72	1000A	NM1	09	Submitter Identifier	R	Submitter's Trading Partner Number (TPN) supplied
CONTACT INFORMATION							by UHIN.
1000A	73	1000A	PER		CONTACT	R	
The name contained in the Submitter Name segr of this loop AND it is the first iteration of this Segment.	74	1000A	PER	01	Contact Function Code	R	
Qualifier "EM" - Electronic Mail "FX" - Facsimile - "TE" - Telephone	74	1000A	PER	02	Name	S	
74 1000A PER 05 Communication Number Qualifier S Valid Values "EM" – Electronic Mail "FX" – Facsmile "TE" – Telephone Extension 74 1000A PER 06 Communication Number S Contact communication number/address 75 1000A PER 07 Communication Number Qualifier S Valid Values "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone Extension 75 1000A PER 08 Communication Number S Contact communication number/address 76 1000B NM1 RECEIVER NAME LOOP R Contact communication number/address 76 1000B NM1 RECIEVER INDIVIDUAL OR ORGANIZATIONAL NAME ANAME ANAM	74	1000A	PER	03		R	"EM" – Electronic Mail "FX" – Facsimile -
Qualifier "EM" - Electronic Mail "FX" - Facsimile "TE" - Telephone "EX" - Telephone "EX" - Telephone EX" - Telephone "EX" - Telephone EX" - Telephone EX	74	1000A	PER	04	Communication Number	R	Contact communication number/address
Total Tota				05		S	"EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone
Qualifier "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone Extension 75 1000A PER 08 Communication Number S Contact communication number/address 76 1000B NM1 RECEIVER NAME LOOP R 76 1000B NM1 RECIEVER INDIVIDUAL OR ORGANIZATIONAL NAME 76 1000B NM1 01 Entity Identification Code R Valid Value: "40" - Receiver 76 1000B NM1 02 Entity Type Qualifier R Valid Value: "2" – Non-Person Entity 77 1000B NM1 03 Receiver Name R "OptumHealth PS" 77 1000B NM1 08 Information Receiver Identification Number Qualifier 78 1000B NM1 09 Receiver Primary Identifier 78 2000A BILLING/PAY-TO R							Contact communication number/address
76 1000B NM1 RECEIVER NAME LOOP R 76 1000B NM1 RECIEVER INDIVIDUAL OR ORGANIZATIONAL NAME R 76 1000B NM1 01 Entity Identification Code R Valid Value: "40" - Receiver 76 1000B NM1 02 Entity Type Qualifier R Valid Value: "2" - Non-Person Entity 77 1000B NM1 03 Receiver Name R "OptumHealth PS" 77 1000B NM1 08 Information Receiver Identification Number Qualifier R Valid Value: "46" - Electronic Transmitter Identification Number Qualifier 77 1000B NM1 09 Receiver Primary Identifier R HT006885-001 78 2000A BILLING/PAY-TO R HT006885-001	75	1000A	PER	07		S	"EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone
76 1000B NM1 RECIEVER INDIVIDUAL OR ORGANIZATIONAL NAME R 76 1000B NM1 01 Entity Identification Code R Valid Value: "40" - Receiver 76 1000B NM1 02 Entity Type Qualifier R Valid Value: "2" - Non-Person Entity 77 1000B NM1 03 Receiver Name R "OptumHealth PS" 77 1000B NM1 08 Information Receiver Identification Number Qualifier R Valid Value: "46" - Electronic Transmitter Identification Numl Qualifier 77 1000B NM1 09 Receiver Primary Identifier R HT006885-001 78 2000A BILLING/PAY-TO R	75	1000A	PER	08	Communication Number	S	Contact communication number/address
OR ORGANIZATIONAL NAME 76 1000B NM1 01 Entity Identification Code R Valid Value: "40" - Receiver 76 1000B NM1 02 Entity Type Qualifier R Valid Value: "2" - Non-Person Entity 77 1000B NM1 03 Receiver Name R "OptumHealth PS" 77 1000B NM1 08 Information Receiver Identification Number Qualifier R Valid Value: "46" - Electronic Transmitter Identification Numled Udentifier 77 1000B NM1 09 Receiver Primary Identifier R HT006885-001 78 2000A BILLING/PAY-TO R	76	1000B	NM1		RECEIVER NAME LOOP	R	
76 1000B NM1 02 Entity Type Qualifier R Valid Value: "2" – Non-Person Entity 77 1000B NM1 03 Receiver Name R "OptumHealth PS" 77 1000B NM1 08 Information Receiver Identification Number Qualifier R Valid Value: "46" – Electronic Transmitter Identification Numler ("46"	76	40000			DECIEVED INDIVIDUAL	R	
"2" - Non-Person Entity "2" - Non-Person		1000B	NM1		OR ORGANIZATIONAL		
77 1000B NM1 08 Information Receiver R Valid Value: Identification Number Qualifier	76			01	OR ORGANIZATIONAL NAME Entity Identification Code	R	
Identification Number Qualifier 77 1000B NM1 09 Receiver Primary Identifier R HT006885-001 BILLING/PAY-TO R		1000B	NM1		OR ORGANIZATIONAL NAME Entity Identification Code		"40" - Receiver Valid Value: "2" – Non-Person Entity
	76	1000B 1000B	NM1 NM1	02	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name	R	"40" - Receiver Valid Value: "2" – Non-Person Entity "OptumHealth PS"
	76	1000B 1000B	NM1 NM1	02	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name Information Receiver Identification Number	R	"40" - Receiver Valid Value: "2" – Non-Person Entity "OptumHealth PS"
	76 77 77	1000B 1000B 1000B 1000B	NM1 NM1 NM1 NM1	02	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name Information Receiver Identification Number Qualifier Receiver Primary Identifier	R R R	"40" - Receiver Valid Value: "2" – Non-Person Entity "OptumHealth PS" Valid Value: "46" – Electronic Transmitter Identification Number
78 2000A HL BILLING/PAY-TO R Follow Implementation Guide for this Segme PROVIDER and all data elements. HIERARCHICAL LEVEL	76 77 77	1000B 1000B 1000B 1000B	NM1 NM1 NM1 NM1	02	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name Information Receiver Identification Number Qualifier Receiver Primary Identifier BILLING/PAY-TO	R R R	"40" - Receiver Valid Value: "2" – Non-Person Entity "OptumHealth PS" Valid Value: "46" – Electronic Transmitter Identification Number
, , , , , , , , , , , , , , , , , , , ,	76 77 77 77 78	1000B 1000B 1000B 1000B 1000B	NM1 NM1 NM1 NM1 NM1	02	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name Information Receiver Identification Number Qualifier Receiver Primary Identifier BILLING/PAY-TO PROVIDER LOOP	R R R	"40" - Receiver Valid Value: "2" - Non-Person Entity "OptumHealth PS" Valid Value: "46" - Electronic Transmitter Identification Number HT006885-001 Follow Implementation Guide for this Segment
78 2000A HL 01 Hierarchical ID Number R Follow Implementation Guide for this data elem-	76 77 77 78 78	1000B 1000B 1000B 1000B 2000A	NM1 NM1 NM1 NM1 NM1	02 03 08 09	OR ORGANIZATIONAL NAME Entity Identification Code Entity Type Qualifier Receiver Name Information Receiver Identification Number Qualifier Receiver Primary Identifier BILLING/PAY-TO PROVIDER LOOP BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL	R R R R	"40" - Receiver Valid Value: "2" – Non-Person Entity "OptumHealth PS" Valid Value: "46" – Electronic Transmitter Identification Number HT006885-001 Follow Implementation Guide for this Segment

78	2000A	HL	03	Hierarchical Level Code	R	Valid Value: "20" – Information Source
79	2000A	HL	04	Hierarchical Child Code	R	Valid Value: "1" – Additional Subordinate HL Data Segments
80	2000A	PRV		BILLING/PAY-TO PROVIDER SPECIALTY INFORMATION	S	Required when the Rendering Provider is the same entity as the Billing and/or Pay-to Provider.
80	2000A	PRV	01	Provider Code	R	Valid Value: "BI" – Billing Provider
80	2000A	PRV	02	Reference Identification Qualifier	R	Valid Value: "PXC" – Taxonomy Code
80	2000A	PRV	03	Provider Taxonomy Code	R	Provider Taxonomy Code
81	2000A	CUR		FOREIGN CURRENCY INFORMATION	S	Allowed but not used for processing
84	2010A A			BILLING PROVIDER NAME LOOP	R	
85	2010A A	NM1	01	Entity Identification Code	R	Valid Value: "85" – Billing Provider
85	2010A A	NM1	02	Entity Type Qualifier	R	Valid Values: "2" – Non-Person
85	2010A A	NM1	03	Billing Provider Last Name	R	Follow Implementation Guide for this data element.
85	2010A A	NM1	07	Billing Provider Name Suffix	S	Not used
86	2010A A	NM1	08	Identification Code Qualifier	R	"XX" – NPI
86	2010A A	NM1	09	Billing Provider Identifier	R	Billing Provider NPI
87	2010A A	N3		BILLING PROVIDER ADDRESS	R	
87	2010A A	N3	01	Billing Provider Address Line	R	Address that coordinates with OptumHealth contract Service Location
87	2010A A	N3	02	Billing Provider Address Line	S	Address that coordinates with OptumHealth contract Service Location
88	2010A A	N4		BILLING PROVIDER CITY/STATE/ZIP CODE	R	
88	2010A A	N4	01	Billing Provider City Name	R	City that coordinates with OptumHealth contract Service Location
89	2010A A	N4	02	Billing Provider State	R	State that coordinates with OptumHealth contract Service Location
89	2010A A	N4	03	Billing Provider's Zip Code	R	Zip Code that coordinates with OptumHealth contract Service Location
89	2010A A	N4	04	Billing Provider's Country Code	S	Not Used
89	2010A A	N4	07	Billing Provider's Country Subdivision Code	S	Not Used
		L		1		

90	2010A A	REF		BILLING PROVIDER SECONDARY IDENTIFICATION	R	Each submission must contain a minimum of 1-2010AA REF segments.
90	2010A A	REF	01	Reference Identification Qualifier	R	Valid Values: "EI" – Tax Identification Number
90	2010A A	REF	02	Reference Identification	R	Tax Identification Number
91	2010A A	PER		BILLING PROVIDER CONTACT INFORMATION	S	Follow Implementation Guide for this Segment and all data elements. Used only when the Billing and Submitter contact information is different.
92	2010A A	PER	01	Contact Function Code	R	Valid Value: "IC" – Information Contact
92	2010A A	PER	02	Name	S	Required when the contact name is different than the name contained in the Submitter and/or Billing Name segments.
92	2010A A	PER	03	Communication Number Qualifier	R	Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone "EX" – Telephone Extension
92	2010A A	PER	04	Communication Number	R	Contact communication number/address
92	2010A A	PER	05	Communication Number Qualifier	S	Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone "EX" – Telephone Extension
93	2010A A	PER	06	Communication Number	S	Contact communication number/address
93	2010A A	PER	07	Communication Number Qualifier	S	Valid Values: "EM" – Electronic Mail "FX" – Facsimile "TE" – Telephone "EX" – Telephone Extension
93	2010A A	PER	08	Communication Number	S	Contact communication number/address
94	2010A B			PAY-TO ADDRESS NAME LOOP	S	Required when the Pay-To Provider Address is different than the Billing Provider Address.
94	2010A B	NM1		PAY-TO PROVIDER NAME	S	Follow Implementation Guide for this Segment and all data elements.
95	2010A B	NM1	01	Entity Identification Code	R	Valid Value: "87" – Pay-to Provider
95	2010A B	NM1	02	Entity Type Qualifier	R	Valid Values: "2" – Non-Person
96	2010A B	N3		PAY-TO PROVIDER ADDRESS	S	Required when the Pay-To Provider Address is different than the Billing Provider Address.
96	2010A B	N3	01	Pay-To Provider Address Line	R	Line 1 of Pay-To Address
96	2010A B	N3	02	Pay-To Provider Address Line	S	Line 2 of Pay-To Address

97	2010A B	N4		PAY-TO PROVIDER CITY/STATE/ZIP CODE	S	Follow Implementation Guide for this Segment and all data elements.
97	2010A B	N4	01	Pay-To Provider City Name	R	
98	2010A B	N4	02	Pay-To Provider State	R	
98	2010A B	N4	03	Pay-To Provider's Zip Code	R	
98	2010A B	N4	04	Pay-To Provider's Country Code	S	Not Used
98	2010A B	N4	07	Pay-To Provider's Country Subdivision Code	S	Not Used
99	2010A C			PAY-TO PLAN NAME LOOP	S	Allowed but not used for processing
99	2010A C	NM1		PAY-TO PLAN NAME	S	Allowed but not used for processing
101	2010A C	N3		PAY-TO PLAN ADDRESS	S	Allowed but not used for processing
102	2010A C	N4		PAY-TO PLAN CITY,STATE,ZIP	S	Allowed but not used for processing
104	2010A C	REF		PAY-TO PLAN SECONDARY INDENTIFICATION	S	Allowed but not used for processing
106	2010A C	REF		PAY-TO PLAN TAX INDENTIFICATION NUMBER	S	Allowed but not used for processing
107	2000B			SUBSCRIBER HIERARCHICAL LOOP	R	For Public Sector Behavioral Health, the subscriber is always the patient. Therefore, all patient data is included in this loop.
107	2000B	HL		SUBSCRIBER HIERARCHICAL LEVEL	R	
107	2000B	HL	01	Hierarchical ID Number	R	Must be numeric and incremental from preceding HL Segments within the transaction set.
108	2000B	HL	02	Hierarchical Parent ID Number	R	Follow Implementation Guide for this data element.
108	2000B	HL	03	Hierarchical Child Code	R	Valid Value: "22" – Subscriber
108	2000B	HL	04	Hierarchical Child Code	R	Valid Value: "0" – No Subordinate HL Segments
109	2000B	SBR		SUBSCRIBER INFORMATION	R	
109	2000B	SBR	01	Payer Responsibility Sequence Number Code	R	Valid Values: "P" – Primary "S" – Secondary "T" – Tertiary
110	2000B	SBR	02	Patients Relationship to Insured	R	Valid Value: "18" – Self
110	2000B	SBR	03	Insured Group or Policy Number	S	Not Used The PACMIS or other unique Identifier is reported at Loop 2010BA – NM109

110	2000B	SBR	04	Insured Group Name	S	Not Used
110	2000B	SBR	09	Claim Filing Indicator Code	R	Valid Values: "11" – Other Non-Federal Programs (Non-Medicaid) "MC" – Medicaid
111	2000B	PAT		PATIENT INFORMATION	S	Allowed but not used for processing
112	2010B A			SUBSCRIBER NAME LOOP	R	
112	2010B A	NM1		SUBSCRIBER NAME	R	
112	2010B A	NM1	01	Entity Identifier Code	R	Valid Value: "IL" – Subscriber
113	2010B A	NM1	02	Entity Type Qualifier	R	Valid Value: "1" - Person
113	2010B A	NM1	03	Subscriber Last Name	R	Patient's Last Name
113	2010B A	NM1	04	Subscriber First Name	R	Patient's First Name
113	2010B A	NM1	05	Subscriber Middle Name	S	Patient's Middle Name (if available)
113	2010B A	NM1	06	Not Used	S	Not Used
113	2010B A	NM1	07	Name Suffix	S	Not Used
113	2010B A	NM1	08	Identification Code Qualifier	R	Valid Value: "MI" – Member Identification Number
114	2010B A	NM1	09	Subscriber Primary Identifier	R	Medicaid PACMIS # when Medicaid OptumHealth assigned ID for Non-Medicaid
115	2010B A	N3		SUBSCRIBER ADDRESS	S	Follow Implementation Guide for this Segment and all data elements. Please complete with available information.
116	2010B A	N4		SUBSCRIBER CITY/STATE/ZIP CODE	s	Follow Implementation Guide for this Segment and all data elements. Please complete with available information.
118	2010B A	DMG		SUBSCRIBER DEMOGRAPHIC INFORMATION	s	This segment is required for a claim to be accepted into the OptumHealth system.
118	2010B A	DMG	01	Date Time Period Format Qualifier	R	"D8"
118	2010B A	DMG	02	Date of Birth - Patient	R	CCYYMMDD
119	2010B A	DMG	03	Gender - Patient	R	Valid Values: "F" – Female "M" – Male "U" – Unknown
120	2010B A	REF		SUBSCRIBER SECONDARY IDENTIFICATION	s	
120	2010B A	REF	01	Reference Identification Qualifier	R	"SY" Social Security Number
120	2010B A	REF	02	Subscriber Supplemental Identifier	R	Patient's Social Security Number
		•	 	nt's agreement that it will only l		

This material is provided on the recipient's agreement that it will only be used for the purpose of describing United Healthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of United Health Group is prohibited.

121	2010B A	REF		PROPERTY AND CASUALTY CLAIM NUMBER	S	Allowed but not used for processing
122	2010B			PAYER NAME LOOP	R	
122	B 2010B B	NM1		PAYER NAME	R	
122	2010B B	NM1	01	Entity Identifier Code	R	Valid Value: "PR" – Payer
123	2010B B	NM1	02	Entity Type Qualifier	R	Valid Value: "2" - Non-Person Entity
123	2010B B	NM1	03	Payer Name	R	Valid Value: "OptumHealth"
123	2010B B	NM1	08	Identification Code Qualifier	R	Valid Value: "PI" – Payer Identification
123	2010B B	NM1	09	Payer Identification Payer Identification	R	HT006885-001
124	2010B B	N3		PAYER ADDRESS	S	Allowed but not used for processing
125	2010B B	N4		PAYER CITY, STATE, ZIP CODE	S	Allowed but not used for processing
127	2010B B	REF		PAYER SECONDARY IDENTIFICATION	S	Allowed but not used for processing
127	2010B B	REF		BILLING PROVIDER SECONDARY IDENTIFICATION	S	Allowed but not used for processing
131	2000C			PATIENT HIERARCHICAL LOOP	S	DO NOT USE THIS LOOP; The patient is always the subscriber for Medicaid and other funded Behavioral Health Services.
131	2000C	HL		PATIENT HIERARCHICAL LEVEL	S	Allowed but not used for processing
133	2000C	PAT		PATIENT INFORMATION	S	Allowed but not used for processing
135	2010C A			PATIENT NAME LOOP	S	DO NOT USE THIS LOOP; The patient is always the subscriber for Medicaid and other funded Behavioral Health Services.
135	2010C A	NM1		PATIENT NAME	S	Allowed but not used for processing
137	2010C A	N3		PATIENT ADDRESS	S	Allowed but not used for processing
138	2010C A	N4		PATIENT CITY, STATE, ZIP CODE	S	Allowed but not used for processing
140	2010C A	DMG		PATIENT DEMOGRAPHIC INFORMATION	S	Allowed but not used for processing
142	2010C A	REF		PROPERTY AND CASUALTY CLAIM NUMBER	S	Allowed but not used for processing
143	2010C A	REF		PROPERTY AND CASUALTY PATIENT IDENTIFIER	S	Allowed but not used for processing

145	2300			CLAIM INFORMATION LOOP	R	
145	2300	CLM		CLAIM INFORMATION	R	
146	2300	CLM	01	Claim Submitter's Identifier	R	Patient Control Number Must Be Unique
147	2300	CLM	02	Total Claim Charge Amount	R	Follow Implementation Guide for this data element.
147	2300	CLM	05	Health Care ServiceLocation Information (Composite Data Element)	R	
147	2300	CLM	05-1	Facility Type Ćode	R	Valid Value: First and Second positions of the Uniform Billing Type Code for Institutional Services
147	2300	CLM	05-2	Facility Code Qualifier	R	Valid Value: "A" – Uniform Billing Claim Form Bill Type
147	2300	CLM	05-3	Claim Frequency Code	R	For original submissions (or re-submission of denied claims) use value: "1" — Original OptumHealth will allow for submission of electronic corrections or voids to a previously paid claim. Acceptable Values: "6" - Corrections "7" — Replacement "8" — Void The OptumHealth Claim Number assigned to the claim that is being voided ("8") or replaced ("7") must be reported in the associated 2300 ORIGINAL REFERENCE NUMBER REF02.
148	2300	CLM	07	Provider Accept Assignment Code	R	Follow Implementation Guide for this data element.
148	2300	CLM	08	Assignment of Benefits Indicator	R	Follow Implementation Guide for this data element.
149	2300	CLM	09	Release of Information Code	R	Follow Implementation Guide for this data element.
149	2300	CLM	20	Delay Reason Code	S	Follow Implementation Guide for this data element.
151	2300	DTP		DATE – DISCHARGE HOUR	S	Required for final inpatient claims.
151	2300	DTP	01	Date Time Qualifier	R	Valid Value: "096" – Discharge
151	2300	DTP	02	Date Time Period Format Qualifier	R	Valid Value: "TM" – Time Expressed in Format HHMM
151	2300	DTP	03	Discharge Time	R	
152	2300	DTP		DATE - STATEMENT DATES	R	Follow Implementation Guide for this Segment and all data elements.
152	2300	DTP	01	Date Time Qualifier	R	Valid Value: "434" – Statement
152	2300	DTP	02	Date Time Period Format Qualifier	R	Valid Value: "RD8" – Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD
152	2300	DTP	03	Statement From and To Dates	R	

153	2300	DTP		DATE – ADMISSION DATE/HOUR	S	Follow Implementation Guide for this Segment and all data elements.
				DATE/HOOK		and an data elements.
154	2300	DTP		DATE – REPRICER RECEIVED DATE	S	Not used
155	2300	CL1		INSTITUTIONAL CLAIM CODE	R	Follow Implementation Guide for this Segment and all data elements.
155	2300	CL1	01	Admission Type Code	S	Required when the patient is being admitted for inpatient services.
155	2300	CL1	02	Admission Source Code	S	Required when the patient is being admitted for inpatient services.
155	2300	CL1	03	Patient Status Code	R	
156	2300	PWK		CLAIM SUPPLEMENTAL INFORMATION	S	Allowed but not used for processing
160	2300	CN1		CONTRACT INFORMATION	S	Allowed but not used for processing
162	2300	AMT		PATIENT ESTIMATED AMOUNT DUE	S	This segment is Required when the patient is responsible for any copayment amount. Follow Implementation Guide for this Segment and all data elements.
162	2300	AMT	01	Amount Qualifier Code	R	Valid Value: "F3" – Patient Responsibility – Estimated
162	2300	AMT	02	Patient Amount Paid	R	Patient Responsibility Amount
163	2300	REF		SERVICE AUTHORIZATION EXCEPTION CODE	S	Allowed but not used for processing
165	2300	REF		REFERRAL NUMBER	S	Allowed but not used for processing
166	2300	REF	1	PRIOR	S	Required for all claims to be accepted into the
				AUTHORIZATION		Optum's claims system.
166	2300	REF	01	Reference Identification Qualifier	R	Accepted Value: "G1" – Prior Authorization Number
167	2300	REF	02	Prior Authorization Number	R	The authorization number provided for this patient to the provider for the claim Date(s) of Service. This number is obtained from OptumHealth and is available through Provider Connect. For more information please connect to our web site at: http://www.optumhealthOptumHealth.com/providers
168	23 00	REF	1	PAYER CLAIM	S	This segment is required when codes "6", "7",
				CONTROL NUMBER		or "8" are submitted in Loop 2300 CLM05-3.
168	2300	REF	01	Reference Identification Qualifier	R	Must = "F8" – Original Reference Number
168	2300	REF	02	Claim Original Reference Number	R	Do not submit hyphens or spaces. Do not submit replacement/void claims until the original claim processes
169	2300	REF		REPRICED CLAIM NUMBER	S	Allowed but not used for processing

170	2300	REF		ADJUSTED REPRICED CLAIM NUMBER	S	Allowed but not used for processing
				CLAIM NOWBER		
171	2300	REF		INVESTIGATIONAL DEVICE EXEMPTION NUMBER	s	Allowed but not used for processing
172	2300	REF		CLAIM INDENTIFICATION NUMBER FOR TRANSMISSION INTERMEDIARIES	S	Allowed but not used for processing
174	2300	REF		AUTO ACCIDENT STATE	s	Allowed but not used for processing
175	2300	REF		MEDICAL RECORD NUMBER	S	Recommended. Follow Implementation Guide for this Segment and all data elements.
175	2300	REF	01	Reference Identification Qualifier	R	Valid Value: "EA" – Medical Record Identification Number
175	2300	REF	02	Medical Record Number	R	
176	2300	REF		DEMONSTRATION PROJECT IDENTIFIER	S	Allowed but not used for processing
177	2300	REF		PEER REVIEW ORGANIZATION APPROVAL NUMBER	S	Allowed but not used for processing
178	2300	КЗ		FILE INFORMATION	S	Allowed but not used for processing
180	2300	NTE		CLAIM NOTE	S	Valid Values: NTE01 = "DCP"; NTE02 = "EBP-[code][code]"
182	2300	NTE		BILLING NOTE	S	Allowed but not used for processing
183	2300	CRC		EPSDT REFERRAL	S	Follow Implementation Guide for this Segment and all data elements.
186	2300	Н		PRINCIPAL DIAGNOSIS	R	This segment is Required for all claims submitted for services provided to Consumers who are covered under Behavioral Health Services. Follow Implementation Guide for this Segment and all data elements.
186	2300	HI	01-1	Code List Qualifier	R	Valid Value: "BK" – Principal Diagnosis "ABK" – Principal Diagnosis
187	2300	HI	01-2	Diagnosis Code	R	DSM-5, ICD-9 or ICD-10
187	2300	HI	01-9	Present On Admission	S	Valid Value:
				Indicator		"Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
189	2300	Н		ADMITTING DIAGNOSIS	S	This segment is Required for all Inpatient Admissions. Follow Implementation Guide for this Segment and all data elements.

190 2300 HI 01-1 Code List Qualifier R Valid Value 137 - Admisting Diagnosis 1AS - Admisting Dia							
Code	190	2300	HI	01-1	Code List Qualifier	R	
FOR VISIT	190	2300	Н	01-2		R	DSM-5, ICD-9 or ICD-10
PR" - Patients Reason for Visit Patient Reason for Visit PR" - Patients Reason for Visit PAPR" - Patients Reason for Visit PR" - Patients Reason for Visit Patients Reason for Visit PR" - Patients Reason for Vis	191	2300	Н			S	visits. Follow Implementation Guide for this
192 2300 HI 02-1 Code List Qualifier R Required when an additional Patient's Reason for Visit must be sent and the preceding HI data elements have been used to report other patient's reason or Visit will distinct the patient's Reason for Visit valid Value: 193 2300 HI 01-2 Patient Reason for Visit APR' - Patient's Reason for V	192	2300	HI	01-1	Code List Qualifier	R	"PR" – Patient's Reason for Visit
Visit must be sent and the preceding HI data elementshave been do report other patient's reason for visit. Valid Value: "PR" - Patients Reason for Visit "APR" - Other Diagnosis "APR" - Other Diagnosis "APR" - Other Diagnosis "APR" - Other Diagnosis and the preceding HI data elements have been used to report other diagnosis "APR" - Other Diagn	192	2300	HI	01-2	Patient Reason for Visit	R	DSM-5, ICD-9 or ICD-10
193 2300 HI 03-1 Code Lis Qualifier R Required when an additional Patient's Reason for Visit must be sent and the preceding HI data elements have been used to report other patient's reason for Visit. Valid Value: "PR" – Patient's Reason for Visit Valid Value: "PR" – Other Diagnosis Valid Value: "BF" – Other Diagnosis Valid Value: "V" – Ves "N" – No "V" – Not Applicable Valid Value: "V" – Ves "N" – No "V" – Not Applicable Valid Value: "PR" – Other Diagnosis Valid Value: "PR" – Other Diagnosis Valid Value: "PR" – Other Diagnosis Valid Value: "V" – Ves "N" – No "V" – Not Applicable Valid Value: "PR" – Other Diagnosis "ABF" – Other	192	2300	НІ	02-1	Code List Qualifier	R	Visit must be sent and the preceding HI data elements have been used to report other patient's reason for visit. Valid Value: "PR" – Patient's Reason for Visit
Visit must be sent and the preceding HI data elements have been used to report other patient's reason for visit. Valid Value: "PR" - Patient's Reason for Visit "PR" - Patient's Reason for Visit "APR" - Patient's Reason for Vi	193	2300	HI	01-2	Patient Reason for Visit	R	DSM-5, ICD-9 or ICD-10
2300 HI	193	2300	HI	03-1	Code List Qualifier	R	Visit must be sent and the preceding HI data elements have been used to report other patient's reason for visit. Valid Value: "PR" – Patient's Reason for Visit
INJURY DIAGNOSIS RELATED S Allowed but not currently used for processing GROUP (DRG) S Allowed but not currently used for processing GROUP (DRG) S Required when other condition(s) coexist or develop subsequently during a patient's treatment Follow Implementation Guide for this Segment and all data elements.	194	2300	HI	03-2	Patient Reason for Visit	R	DSM-5, ICD-9 or ICD-10
CROUP (DRG) COMP (DRG) CO	195	2300	HI			S	Allowed but not used for processing
INFORMATION develop subsequently during a patient's treatment Follow Implementation Guide for this Segment and all data elements.	220	2300	HI			S	Allowed but not currently used for processing
#BF" – Other Diagnosis "ABF" – Other Diagnosis R DSM-5, ICD-9 or ICD-10 Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable Present On Admission Indicator R Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis "ABF" – Other Diagnosis	222	2300	HI			S	develop subsequently during a patient's treatment Follow Implementation Guide for this
223 2300 HI 01-9 Present On Admission Indicator S Valid Value: "Y" — Yes "N" — No "U" — Unknown "W" — Not Applicable 224 2300 HI 02-1 Code List Qualifier R Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" — Other Diagnosis "ABF" — Other Diagnosis	223	2300	НІ	01-1	Code List Qualifier	R	"BF" - Other Diagnosis
Indicator "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	223	2300	HI	01-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	223	2300	Н	01-9		S	"Y" – Yes "N" – No "U" – Unknown
224 2300 HI 02-2 Other Diagnosis R DSM-5, ICD-9 or ICD-10	224	2300	HI	02-1	Code List Qualifier	R	additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis
	224	2300	HI	02-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10

225 2300 HI 02-9 Present On Admission S Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable 226 2300 HI 03-1 Code List Qualifier R Required when it is necess	sary to report an he preceding HI data
226 2300 HI 03-1 Code List Qualifier R Required when it is necess	sary to report an he preceding HI data
elementshave been used Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	to report other diagnosis
226 2300 HI 03-2 Other Diagnosis R DSM-5, ICD-9 or ICD-10	
226 2300 HI 03-9 Present On Admission S Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable	
2300 HI 04-1 Code List Qualifier R Required when it is necess additional Diagnosis and the elements have been used Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	ne preceding HI data
227 2300 HI 04-2 Other Diagnosis R DSM-5, ICD-9 or ICD-10	
228 2300 HI 04-9 Present On Admission S Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable	
229 2300 HI 05-1 Code List Qualifier R Required when it is necess additional Diagnosis and the elements have been used Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	ne preceding HI data
229 2300 HI 05-2 Other Diagnosis R DSM-5, ICD-9 or ICD-10	
229 2300 HI 05-9 Present On Admission S Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable	
230 2300 HI 06-1 Code List Qualifier R Required when it is necess additional Diagnosis and the elements have been used Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis	he preceding HI data
230 2300 HI 06-2 Other Diagnosis R DSM-5, ICD-9 or ICD-10	
231 2300 HI 06-9 Present On Admission S Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable	

This material is provided on the recipient's agreement that it will only be used for the purpose of describing United Healthcare's products and services to the recipient. Any other use, copying or distribution without the express written permission of United Health Group is prohibited.

232	2300	HI	07-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
232	2300	HI	07-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
232	2300	HI	07-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
233	2300	Н	08-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
233	2300	HI	08-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
234	2300	HI	08-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
235	2300	НІ	09-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
235	2300	н	09-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
235	2300	Н	09-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
236	2300	н	10-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
236	2300	Н	10-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
237	2300	Н	10-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable

238	2300	HI	11-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
238	2300	HI	11-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
238	2300	НІ	11-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
239	2300	н	12-1	Code List Qualifier	R	Required when it is necessary to report an additional Diagnosis and the preceding HI data elements have been used to report other diagnosis Valid Value: "BF" – Other Diagnosis "ABF" – Other Diagnosis
239	2300	HI	12-2	Other Diagnosis	R	DSM-5, ICD-9 or ICD-10
240	2300	н	12-9	Present On Admission Indicator	S	Valid Value: "Y" – Yes "N" – No "U" – Unknown "W" – Not Applicable
241	2300	НІ		PRINCIPAL PROCEDURE INFORMATION	s	Required on Inpatient Claims when a Procedure was performed Follow Implementation Guide for this Segment and all data elements.
242	2300	HI	01-1	Code List Qualifier	R	Valid Value: "BR" – Principal Procedure Code "BBR" – Principal Procedure Code
242	2300	HI	01-2	Principal Procedure Code	R	DSM-5, ICD-9 or ICD-10
242	2300	HI	01-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
242	2300	HI	01-4	Principal Procedure Date	R	CCYYMMDD
244	2300	НІ		OTHER PROCEDURE INFORMATION	S	Required on Inpatient Claims when additional Procedures must be reported Follow Implementation Guide for this Segment and all data elements.
244	2300	HI	01	Health Care Code Information	R	
245	2300	HI	01-1	Code List Qualifier	R	Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
245	2300	Н	01-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
245	2300	HI	01-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
245	2300	HI	01-4	Principal Procedure Date	R	CCYYMMDD

	2300	HI	02	Health Care Code	S	Required when necessary to report an additional
246	2000	"	02	Information	Ü	procedure.
246	2300	HI	02-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
246	2300	HI	02-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
246	2300	HI	02-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
247	2300	HI	02-4	Principal Procedure Date	R	ССҮҮММОО
247	2300	HI	03	Health Care Code Information	S	Required when necessary to report an additional procedure.
247	2300	HI	03-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
247	2300	HI	03-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
248	2300	HI	03-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
248	2300	НІ	03-4	Principal Procedure Date	R	ССҮҮММОО
248	2300	Н	04	Health Care Code Information	S	Required when necessary to report an additional procedure.
248	2300	HI	04-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
248	2300	HI	04-1	Code List Qualifier Procedure Code	R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code
					R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
249	2300	HI	04-2	Procedure Code Date Time Period Format	R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code DSM-5, ICD-9 or ICD-10 Valid Value:
249	2300	HI	04-2	Procedure Code Date Time Period Format Qualifier	R R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code DSM-5, ICD-9 or ICD-10 Valid Value: "D8"
249 249	2300 2300 2300	HI	04-2 04-3 04-4	Procedure Code Date Time Period Format Qualifier Principal Procedure Date Health Care Code	R R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code DSM-5, ICD-9 or ICD-10 Valid Value: "D8" CCYYMMDD Required when necessary to report an additional
249 249 249 249	2300 2300 2300 2300	HI HI HI	04-2 04-3 04-4	Procedure Code Date Time Period Format Qualifier Principal Procedure Date Health Care Code Information	R R	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code DSM-5, ICD-9 or ICD-10 Valid Value: "D8" CCYYMMDD Required when necessary to report an additional procedure. Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code
249 249 249 249	2300 2300 2300 2300 2300	HI HI HI	04-2 04-3 04-4 05	Procedure Code Date Time Period Format Qualifier Principal Procedure Date Health Care Code Information Code List Qualifier	R R S	additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code DSM-5, ICD-9 or ICD-10 Valid Value: "D8" CCYYMMDD Required when necessary to report an additional procedure. Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code

	_					
251	2300	HI	06	Health Care Code Information	S	Required when necessary to report an additional procedure.
251	2300	HI	06-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
251	2300	HI	06-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
251	2300	HI	06-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
252	2300	HI	06-4	Principal Procedure Date	R	CCYYMMDD
252	2300	HI	07	Health Care Code Information	S	Required when necessary to report an additional procedure.
252	2300	HI	07-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
252	2300	HI	07-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
253	2300	HI	07-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
253	2300	HI	07-4	Principal Procedure Date	R	CCYYMMDD
253	2300	HI	08	Health Care Code Information	S	Required when necessary to report an additional procedure.
253	2300	HI	08-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
254	2300	Н	08-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
254	2300	HI	08-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
254	2300	HI	08-4	Principal Procedure Date	R	ССҮҮММОО
254	2300	Н	09	Health Care Code Information	S	Required when necessary to report an additional procedure.
255	2300	HI	09-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
255	2300	HI	09-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
255	2300	HI	09-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
255	2300	HI	09-4	Principal Procedure Date	R	CCYYMMDD

256	2300	Н	10	Health Care Code Information	S	Required when necessary to report an additional procedure.
256	2300	н	10-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
256	2300	HI	10-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
256	2300	HI	10-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
257	2300	HI	10-4	Principal Procedure Date	R	CCYYMMDD
257	2300	HI	11	Health Care Code Information	S	Required when necessary to report an additional procedure.
257	2300	HI	11-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
257	2300	HI	11-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
258	2300	HI	11-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
258	2300	HI	11-4	Principal Procedure Date	R	CCYYMMDD
258	2300	HI	12	Health Care Code Information	S	Required when necessary to report an additional procedure.
258	2300	HI	12-1	Code List Qualifier	R	Required when it is necessary to report an additional procedure and the preceding HI elements gave been used Valid Value: "BQ" – Principal Procedure Code "BBQ" – Principal Procedure Code
259	2300	Н	12-2	Procedure Code	R	DSM-5, ICD-9 or ICD-10
259	2300	HI	12-3	Date Time Period Format Qualifier	R	Valid Value: "D8"
259	2300	HI	12-4	Principal Procedure Date	R	CCYYMMDD
260	2300	HI		OCCURRENCE SPAN INFORMATION	S	Allowed but not used for processing
273	2300	HI		OCCURRENCE INFORMATION	S	Allowed but not used for processing
286	2300	HI		VALUE INFORMATION	S	Allowed but not used for processing
296	2300	HI		CONDITION INFORMATION	S	Allowed but not used for processing
306	2300	Н		TREATMENT CODE INFORMATION	S	Allowed but not used for processing
315	2300	НСР		CLAIM PRICING/REPRICING INFORMATION	S	Allowed but not used for processing

321	2310A			ATTENDING PROVIDER	S	Required if the claim contains any services
				NAME LOOP		other than non-scheduled transportation claims.
321	2310A	NM1	01	Entity Identifier Code	R	Valid Value:
321	2310A	NIVII		Littly identifier code	K	"71" – Attending Physician
322	2310A	NM1	02	Entity Type Qualifier	R	Valid Value: "1" – Person
322	2310A	NM1	03	Attending Provider Last Name	R	
322	2310A	NM1	04	Attending Provider First Name	S	Required when the person has a First Name
322	2310A	NM1	05	Attending Provider Middle Name	S	
322	2310A	NM1	07	Attending Provider Name Suffix	S	Not used
323	2310A	NM1	08	Identification Code Qualifier	R	Valid Value: "XX" – NPI
323	2310A	NM1	09	Attending Provider NPI	R	NPI
324	2310A	PRV		ATTENDING PROVIDER SPECIALTY INFORMATION	S	Allowed but not used for processing
324	2310A	PRV	01	Provider Code	R	Valid Value:
						"AT" – Attending Provider
324	2310A	PRV	02	Reference Identification Qualifier	R	Valid Value: "PXC" – Taxonomy Code
324	2310A	PRV	03	Provider Taxonomy Code	R	Taxonomy Code
326	2310A	REF		ATTENDING PROVIDER SECONDARY IDENTIFICATION	S	Allowed but not used for processing
326	2310A	REF	01	Reference Identification Qualifier	R	Valid Value: "G2" – Provider Commercial Number
327	2310A	REF	02	Attending Provider Secondary Identifier	R	State Medicaid Provider ID
328	2310B			OPERATING PHYSICIAN NAME LOOP		Allowed but not used for processing
333	2310C			OTHER OPERATING PHYSICIAN NAME LOOP		Allowed but not used for processing
338	2310D			RENDERING PROVIDER NAME		Required when the Rendering Provider is different than the Attending Provider.
339	2310D	NM1	01	Entity Identifier Code	R	Valid Value: "82" – Rendering Physician
339	2310D	NM1	02	Entity Type Qualifier	R	Valid Value: "1" – Person
339	2310D	NM1	03	Rendering Provider Last Name	R	
339	2310D	NM1	04	Rendering Provider First Name	S	Required when the person has a First Name

339	2310D	NM1	05	Rendering Provider	S	1
				Middle Name		
339	2310D	NM1	07	Rendering Provider Name Suffix	S	Not used
340	2310D	NM1	08	Identification Code Qualifier	R	Valid Value: "XX" – NPI
340	2310D	NM1	09	Rendering Provider NPI	R	NPI
343	2310E			SERVICE FACILITY LOCATION NAME LOOP	S	
344	2310E	NM1		SERVICE FACILITY LOCATION	S	Required when the location of the Service is different than that carried in Loop 2010AA (Billing Provider).
344	2310E	NM1	01	Entity Identifier Code	R	Valid Value: "77" – Service Location
344	2310E	NM1	02	Entity Type Qualifier	R	Valid Value: "2" - Non-Person Entity
344	2310E	NM1	03	Last or Organization Name	R	Follow Implementation Guide for this data element.
344	2310E	NM1	08	Identification Code Qualifier	S	Accepted Values: "XX" – NPI
344	2310E	NM1	09	Rendering Provider Identifier	S	NPI
346	2310E	N3		SERVICE FACILITY LOCATION ADDRESS	R	Required when this loop is present. Follow Implementation Guide for this Segment and all data elements.
347	2310E	N4		SERVICE FACILITY LOCATION CITY, STATE, ZIP CODE	R	Required when this loop is present. Follow Implementation Guide for this Segment and all data elements.
349	2310E	REF		SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION	S	Follow Implementation Guide for this Segment and all data elements.
351	2310F			REFERRING PROVIDER NAME LOOP		Allowed but not used for processing
356	2320			OTHER SUBSCRIBER INFORMATION LOOP		Required when other payers are involved in paying on this claim.
356	2320	SBR		OTHER SUBSCRIBER INFORMATION	S	Follow Implementation Guide for this Segment and all data elements.
357	2320	SBR	01	Payer Responsibility Sequence Number Code	R	Valid Values: Please see the Implementation Guide for values.

357	2320	SBR	02	Individual Relationship Code	R	Valid Value: "01" – Spouse "18" – Self "19" – Child "20" – Employee "21" – Unknown "39" – Organ Donor "40" – Cadaver Donor "53" – Life Partner "G8" – Other Relationship
358	2320	SBR	03	Insured Group or Policy Number	S	Other Insurer's ID for this person.
358	2320	SBR	04	Other Insured Group Name	S	Follow Implementation Guide for this data element.
358	2320	SBR	09	Claim Filing Indicator Code	S	Valid Values: "11" – Other Non-Federal Programs "12" – Preferred Provider Organization "13" – Point of Service "14" – Exclusive Provider Organization "15" – Indemnity Insurance "16" – Health Maintenance Organization Medicare Risk "17" – Dental Maintenance Organization Medicare Risk "17" – Dental Maintenance Organization "AM" – Automobile Medical "BL" – Blue Cross/Blue Shield "CH" – Champus "CI" – Commercial Insurance Company "DS" – Disability "FI" – Federal Employees Program "HM" – Health Maintenance Organization "LM" – Liability Medical "MA" – Medicare Part A "MB" – Medicare Part B "MC" - Medicaid "OF" – Other Federal Program (includes Medicare Part D) "TV" – Title V "VA" – Veteran Administration Plan "WC" – Workers' Compensation "ZZ" - Unknown
360	2320	CAS		CLAIM LEVEL ADJUSTMENT	S	Required when the claim has been adjudicated by the payer identified in this loop and the claim has claim level adjustment information. Used to report prior payers' amount paid.
362	2320	CAS	01	Claim Adjustment Group Code	R	Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
362	2320	CAS	02	Claim Adjustment Reason Code	R	
362	2320	CAS	03	Adjustment Amount	R	
362	2320	CAS	04	Adjustment Quantity	S	Required when the number of service units has
	2020			. ajaamon adamity		been adjusted.
362	2320	CAS	05	Claim Adjustment Group Code	S	Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
362	2320	CAS	06	Adjustment Amount	S	Required when CAS05 is present
363	2320	CAS	07	Adjustment Quantity	S	+
]		,	l	

363	2320	CAS	08	Claim Adjustment Reason Code	S	Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
363	2320	CAS	09	Adjustment Amount	S	Required when CAS08 is present
363	2320	CAS	10	Adjustment Quantity	S	- 1
363	2320	CAS	11	Claim Adjustment Reason Code	S	Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
364	2320	CAS	12	Adjustment Amount	S	Required when CAS11 is present
364	2320	CAS	13	Adjustment Quantity	S	required when one in represent
364	2320	CAS	14	Claim Adjustment	S	Valid Values:
304	2320	CAG		Reason Code	3	"CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
364	2320	CAS	15	Adjustment Amount	S	Required when CAS14 is present
364	2320	CAS	16	Adjustment Quantity	S	
365	2320	CAS	17	Claim Adjustment Reason Code	S	Valid Values: "CO" – Contractual Obligations "CR" – Correction and Reversals "OA" – Other Adjustments "PI" – Payor Initiated Reductions "PR" – Patient Responsibility
365	2320	CAS	18	Adjustment Amount	S	Required when CAS17 is present
365	2320	CAS	19	Adjustment Quantity	S	
366	2320	AMT		COORDINATION OF BENEFITS (COB) PAYER PAID AMOUNT	S	Required when the claim has been adjudicated by the payer identified in Loop 2330B of this loop OR when loop 2010AC is present.
366	2320	AMT	01	Amount Qualifier Code	R	Valid Value: "D" – Payor Amount Paid
366	2320	AMT	02	Other Payer Paid Amount	R	Other Payor Paid Amount (Can = 0)
367	2320	AMT		REMAINING PATIENT LIABILITY	S	Allowed but not used for processing
368	2320	AMT		COORDINATION OF BENEFITS (COB) TOTAL NON- COVERED AMOUNT	S	Follow Implementation Guide for this Segment and all data elements.
368	2320	AMT	01	Amount Qualifier Code	R	Valid Value: "A8" – Non-covered Charges - Actual
368	2320	AMT	02	Non-Covered Charge Amount	R	

369	2320	OI		OTHER INSURANCE COVERAGE INFORMATION	R	Information in this segment applies only to the payer identified in Loop 2330B
369	2320	OI	03	Benefits Assignment Certification Indicator	R	Valid Values: "N" – No "W" – Not Applicable (use when patient refuses to assign benefits) "Y" - Yes
370	2320	OI	06	Release of Information Code	R	Valid Values: "I" – Informed Consent "Y" – Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim
371	2320	MIA		MEDICARE INPATIENT ADJUDICATION INFORMATION	S	Allowed but not used for processing
376	2320	MOA		MEDICARE OUTPATIENT ADJUDICATION INFORMATION	S	Allowed but not used for processing
379	2330A			OTHER SUBSCRIBER NAME LOOP	S	The 2330A Loop is required when Loop ID 2320 - Other Subscriber Information is present. Otherwise, this loop is not used.
379	2330A	NM1		OTHER SUBSCRIBER NAME	S	Follow Implementation Guide for this Segment and all data elements.
380	2330A	NM1	01	Entity Identifier Code	R	Valid Value: "IL" – Subscriber
380	2330A	NM1	02	Entity Type Qualifier	R	Valid Value: "1" – Person "2" – Non-Person Entity
380	2330A	NM1	03	Other Insured Last Name	R	Other Subscriber Last Name
380	2330A	NM1	04	Other Insured First Name	S	Other Subscriber First Name. Required when NM102=1
380	2330A	NM1	05	Other Insured Middle Name	S	Other Subscriber Middle Name (if available)
380	2330A	NM1	07	Other Insured Name Suffix	S	Not Used
381	2330A	NM1	08	Other Subscriber Identification Code Qualifier	R	Valid Value: "MI" – Member Identification Number
381	2330A	NM1	09	Other Subscriber Primary Identifier	R	Other Subscriber Primary Identifier
382	2330A	N3		OTHER SUBSCRIBER ADDRESS	S	Allowed but not used for processing

383	2330A	N4		OTHER SUBSCRIBER CITY, STATE, ZIP CODE	s	Allowed but not used for processing
385	2330A	REF		OTHER SUBSCRIBER SECONDARY INFORMATION	s	Allowed but not used for processing
386	2330B			OTHER PAYER NAME LOOP	S	The 2330B Loop is required when Loop ID 2320 - Other Subscriber Information is used. Otherwise, this loop is not used.
386	2330B	NM1		OTHER PAYER NAME	R	Follow Implementation Guide for this Segment and all data elements.
386	2330B	NM1	01	Entity Identifier Code	R	Valid Value: "PR" – Payer
386	2330B	NM1	02	Entity Type Identifier	R	Valid Value: "2" – Non-Person
387	2330B	NM1	03	Other Payer Organization Name	R	Other Payer Organization Name
387	2330B	NM1	08	Identification Code Qualifier	R	Valid Value: "PI" – Payer Identification
387	2330B	NM1	09	Other Payer Identifier	R	Other Payer Identifier
388	2330B	N3		OTHER PAYER ADDRESS	S	Allowed but not used for processing
389	2330B	N4		OTHER PAYER CITY, STATE, ZIP	S	Allowed but not used for processing
391	2330B	DTP		CLAIM CHECK OR REMITTANCE DATE	S	Follow Implementation Guide for this Segment and all data elements.
392	2330B	REF		OTHER PAYER SECONDARY IDENTIFIER	S	Follow Implementation Guide for this Segment and all data elements.
394	2330B	REF		OTHER PAYER PRIOR AUTHORIZATION NUMBER	S	Allowed but not used for processing
395	2330B	REF		OTHER PAYER REFERRAL NUMBER	S	Allowed but not used for processing
396	2330B	REF		OTHER PAYER CLAIM ADJUSTMENT INDICATOR	S	Allowed but not used for processing
397	2330B	REF		OTHER PAYER CLAIM CONTRAL NUMBER	S	Allowed but not used for processing
398	2330C			OTHER PAYER ATTENDING PROVIDER LOOP	S	Allowed but not used for processing

400	Lasson			OTHER DAVED	6	Allowed but not used for proceeding
402	2330D			OTHER PAYER OPERATING	S	Allowed but not used for processing
				PHYSICIAN LOOP		
				1111010111112001		
406	2330E			OTHER PAYER OTHER	S	Allowed but not used for processing
406	2330E			OPERATING	3	Allowed but not used for processing
				PHYSICIAN LOOP		
410	2330F			OTHER PAYER	S	Allowed but not used for processing
410	233UF			SERVICE FACILITY	3	Allowed but not used for processing
				LOCATION LOOP		
414	2330G			OTHER PAYER	S	Allowed but not used for processing
717	23300			RENDERING	J	Anowed but not used for processing
				PROVIDER NAME		
				LOOP		
418	2330H			OTHER PAYER	S	Allowed but not used for processing
				REFERRING PROVIDER		
				LOOP		
422	23301			OTHER PAYER	S	Allowed but not used for processing
				BILLING PROVIDER		y control y
				LOOP		
	0.400			OFFINIOF LINE LOOP	_	
	2400			SERVICE LINE LOOP	R	
425	2400	LX		SERVICE LINE	R	Follow Implementation Guide for this Segment
				NUMBER		and all data elements.
425	2400	LX	01	Assigned Number	R	Claim Line Number
720	2400			/ taligned (valide)	1	Statill Ellio Hallibol
426	2400	SV2		INSTITUTIONAL	R	
				SERVICE LINE		
426	2400	SV2	01	Service Line Revenue	R	
				Code		
427	2400	SV2	02-1	Product or Service ID	R	Valid Value:
				Qualifier		"HC" - HCPCS (and CPT) codes
420	2400	CVO	00.0	Droodure Code	В	Drago dura co de territo din e item
428	2400	SV2	02-2	Procedure Code	R	Procedure code for this line item
428	2400	SV2	02-3	Procedure Modifier 1	S	Follow Implementation Guide for this data element.
428	2400	SV2	02-4	Procedure Modifier 2	S	Follow Implementation Guide for this data element.
429	2400	SV2	02-5	Procedure Modifier 3	S	Follow Implementation Guide for this data element.
429	2400	SV2	02-6	Procedure Modifier 4	S	Follow Implementation Guide for this data element.
	2400	SV2	02-7	Description		'
429				' ·	S	Follow Implementation Guide for this data element.
429	2400	SV2	03	Line Item Charge Amount	R	Follow Implementation Guide for this data element.
						"0" is an acceptable value
420	2400	SV2	04	Unit or Rocic for	В	Follow Implementation Guide for this data element.
430	2400	3 4 2	04	Unit or Basis for Measurement Code	R	Follow implementation Guide for this data element.
				Wicasaromont OUG		
430	2400	SV2	05	Service Unit Count	R	Follow Implementation Guide for this data element.
430	2400	SV1	05	Place of Service Code	S	Please provide for county/state reporting.
430	2400	3 7 1	US	Flace of Service Code	3	Follow Implementation Guide for this data element.
						. 5.164 impromonation odido for tribudita of filefile.
430	2400	SV2	07	Line Item Denied Charge	S	Follow Implementation Guide for this data element.
400	2400	5,2	"	or Non-Covered Charge		1 Show impromonation odide for this data element.
				Amount		

431	2400	PWK		LINE SUPPLEMENTAL INFORMATION	S	Allowed but not used for processing
435	2400	DTP		DATE - SERVICE DATE	R	Follow Implementation Guide for this Segment and all data elements.
436	2400	DTP	01	Date Time Qualifier	R	Valid Value: "472" - Service
436	2400	DTP	02	Date Time Period Format Qualifier	R	Valid Values: "D8" — CCYYMMDD "RD8" — CCYYMMDD-CCYYMMDD
436	2400	DTP	03	Service Date	R	Service Date
437	2400	REF		LINE ITEM CONTROL NUMBER	S	Follow Implementation Guide for this Segment and all data elements.
437	2400	REF	01	Reference Identification Number	R	Valid Value: "6R" – Provider Control Number
438	2400	REF	02	Line Item Control Number	R	
439	2400	REF		REPRICED LINE ITEM REFERENCE NUMBER	S	Allowed but not used for processing
440	2400	REF		ADJUSTED REPRICED LINE ITEM REFERENCE NUMBER	S	Allowed but not used for processing
441	2400	AMT		SERVICE TAX AMOUNT	S	Allowed but not used for processing
442	2400	AMT		FACILITY TAX AMOUNT	S	Allowed but not used for processing
443	2400	NTE		THIRD PARTY ORGANIZATION NOTES	S	Allowed but not used for processing
444	2400	HCP		LINEPRICING/REPRICI NG INFORMATION	S	Allowed but not used for processing
451	2410			DRUG IDENTIFICATION LOOP	S	Allowed but not used for processing
458	2420A			OPERATING PHYSICIAN NAME LOOP	S	Allowed but not used for processing
463	2420B			OTHER OPERATING PHYSICIAN NAME LOOP	S	Allowed but not used for processing
468	2420C			RENDERING PROVIDER NAME LOOP		Allowed but not used for processing
473	2420D			REFERRING PROVIDER NAME LOOP		Allowed but not used for processing

478	2430		SERVICE LINE ADJUDICATION INFORMATION LOOP	S	Required if claim has been previously adjudicated by payer identified in Loop 2330B (OTHER PAYER) and service line has adjustments applied to it.
478	2430	SVD	SERVICE LINE ADJUDICATION INFORMATION	S	Follow Implementation Guide for this Segment and all data elements. Required when an adjustment is being requested.
482	2430	CAS	LINE ADJUSTMENT	s	Follow Implementation Guide for this Segment and all data elements.
488	2430	DTP	LINE CHECK OR REMITTANCE DATE	s	Follow Implementation Guide for this Segment and all data elements.
489	2430	AMT	REMAINING PATIENT LIABILITY	s	Follow Implementation Guide for this Segment and all data elements.
490		SE	TRANSACTION SET TRAILER	R	Follow Implementation Guide for this Segment and all data elements.

10. APPENDECIES

10.1. IMPLEMENTATION CHECKLIST

The implementation check list will vary depending on your choice of connection; CAQH CORE Connectivity or Clearinghouse. However, a basic check list would be to:

- 1. Register with Trading Partner
- 2. Create and sign contract with trading partner
- 3. Establish connectivity
- 4. Send test transactions
- 5. If testing succeeds, proceed to send production transactions

10.2. BUSINESS SCENARIOS

Please refer to Section 4.4 above, which points to the appropriate website for Washington Publishing where the reader can view the 5010 Technical Report Type 3 (TR3, formerly known as Implementation Guide), which contains various business scenario examples.

10.3. TRANSMISSION EXAMPLES

Please refer to Section 4.4 above, which points to the appropriate website for Washington Publishing where the reader can view the TR3, which contains various transmission examples.

10.4. FREQUENTLY ASKED QUESTIONS

1. Does this Companion Guide apply to all OptumHealth payers?

No. The changes will apply to commercial and government business for OptumHealth using payer ID 87726.

2. How does OptumHealth support, monitor, and communicate expected and unexpected connectivity outages?

Our systems do have planned outages. For the most part, transactions will be queued during those outages. We will send an email communication for scheduled and unplanned outages.

3. If a 837 is successfully transmitted to OptumHealth, are there any situations that would result in no response being sent back?

No. OptumHealth will always send a response. Even if OptumHealth's systems are down and the transaction cannot be processed at the time of receipt, a response detailing the situation will be returned.

10.5. FILE NAMING CONVENTIONS

For more information, please contact your UHIN Account Manager. If you do not have an UHIN Account Manager, please contact UHIN at http://www.uhin.org/join or call 801-466-7705 for more information.